

Air Craft

PNEUMATIC SYSTEMS

STANDARD

PROFESSIONAL

CONTRACTOR

2026





Index

Professional Spray Guns & Kits / Air Dusters

Page 1 - 10



Wash Paraffin & Under Coating Guns / Tyre Inflators

Page 11



Paint Pots & Accessories

Page 12



Air Brush Kits / Hoses & Accessories

Page 13 - 15



Mini Air Compressors

Page 16



Vacuum Pumps / Pressure Switches & Gauges

Page 17



Air Fittings / Pipe Fittings / PU Hose Fittings

Page 18 - 26



PU & Nylon Hose / Hose Reels / Clamps

Page 27 - 29



Filters / Regulators / Lubricators

Page 30



Air Tools / Compounding Sponges / Buffs / Pads

Page 31 - 36



Display Concepts / Solutions

Page 37 - 40



New Era Spray Guns

Comparison Chart & Information

L.V.L.P Painting Extent Chart

Environmental energy & paint saving gun

Pulverization is fine and symmetrical
Overspray (splashing & bouncing) is minimal which reduces pollution
Transfer efficiency is above 75%
Pattern width approx 28cm

H.V.L.P Painting Extent Chart

Environmental paint saving gun

Wide painting extent, perfect pulverization function
Overspray (splashing & bouncing) is minimal
Transfer efficiency is above 70%
Pattern width approx 27cm

L.V.M.P Painting Extent Chart

Paint saving gun

Fast painting speed, high efficiency with fine pulverization, flowing coat
Transfer efficiency is above 65%
Pattern width approx 25cm

HVLP Mini Touch Up Spray Gun

STANDARD

SG H2000 Mini Touch Up Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 Bar (43 Psi)
Air Inlet	:	1/4"
Air Consumption	:	90 - 140 L/min Or 3.0 - 5.0 cfm
Capacity Of Cup (ml)	:	Plastic (125ml)
Feed Type	:	Gravity
Nozzle	:	0.5mm

For touch-up and small surface areas

PART NO.	DESCRIPTION	
SG H2000-1	Spare Nozzle Kit 0.5mm (3 Pce) for SG H2000	
SG H2000-2	Spare Nozzle Kit 0.8mm (3 Pce) for SG H2000	
SG H2000-3	Spare Nozzle Kit 1.0mm (3 Pce) for SG H2000	
SG H2000-8	Spare Plastic Cup for SG H2000	
SG H2000-SK01	Service Kit Trigger Parts (13 - 18, 24 - 27)	
SG H2000-SK02	Service Kit Air Adj. (22)	
SG H2000-SK03	Service Kit Fluid Adj. (3 - 7, 10- 12)	
SG H2000-SK04	Service Kit Pattern Adj. Parts (19 - 21)	
SG H2000-SK05	Service Kit Washers & O-rings (3, 6, 7, 13, 15, 16)	



SG H887MINI Mini Touch Up Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	2.0 - 3.0 Bar (43 Psi)
Air Inlet	:	1/4"
Air Consumption	:	90 - 140 L/min Or 3.0 - 5.0 cfm
Capacity Of Cup (ml)	:	Plastic (125ml)
Feed Type	:	Gravity
Nozzle	:	0.5mm

For touch-up work and smaller area use

PART NO.	DESCRIPTION	
SG H887MINI-1	Spare Nozzle Kit 0.5mm For SG H887MINI	
SG H887MINI-2	Spare Nozzle Kit 0.8mm For SG H887MINI	
SG H887MINI-3	Spare Nozzle Kit 1.0mm For SG H887MINI	



HVLP Gravity Feed Spray Gun

STANDARD

SG H827 1.4mm Gravity Feed Spray Gun
SG H827-01 1.7mm Gravity Feed Spray Gun
SG H827-02 2.0mm Gravity Feed Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 - 4.0 Bar (45 - 60 Psi)
Air Inlet	:	¼"
Air Consumption	:	170 - 300 L/min Or 6.0 - 11 Cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm, 1.7mm, 2.0mm

For finishing and primer

PART NO. DESCRIPTION

SG H827-1	Nozzle Kit 1.4mm (3 Pce) for SG H827
SG H827-2	Nozzle Kit 1.7mm (3 Pce) for SG H827
SG H827-3	Nozzle Kit 2.0mm (3 Pce) for SG H827
SG H827-05	Nozzle Kit 1.3mm for SG H827
SG H827-4	Plastic Cup 600cc for SG H827 & SG H887
SG H827-5	Aluminium Cup 800cc for SG H827 & SG H887
SG H827-SK01	Service Kit Trigger Parts (12 - 17)
SG H827-SK02	Service Kit Air Compression Parts (5 - 7)
SG H827-SK03	Service Kit Pattern Adj. Parts (25 - 30)
SG H827-SK04	Service Kit Fluid Adj. (32 - 34)
SG H827-SK05	Service Kit Washers & O-rings
SG H827-SK06	Service Kit Air Adj. Valve Assembly Part (29)



SG AS1001P-31
 Filter for Upper Cup
 for SG H827 & SG H887



SG H887 1.4mm HVLP Gravity Feed Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 - 4.0 Bar (45 - 60 Psi)
Air Inlet	:	¼"
Air Consumption	:	170 - 300 L/min Or 6.0 - 11cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

For finishing and primer

PART NO. DESCRIPTION

SG H887-01	Nozzle Kit 1.3mm (3 Pce) for SG H887
SG H887-02	Nozzle Kit 1.4mm (3 Pce) for SG H887
SG H887-03	Nozzle Kit 1.7mm (3 Pce) for SG H887
SG H887-04	Nozzle Kit 2.0mm for SG H887
SG H887-05	Plastic Cup 600cc for SG H887



HVLP Gravity Feed Spray Gun

STANDARD

SG AB17G 1.4mm Gravity Feed Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 - 4.0 Bar (43 - 58 Psi)
Air Inlet	:	¼"
Air Consumption	:	170 - 311 L/min Or 6.0 - 11 Cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

Good finishing gun



**Stainless steel needle
& nozzle for long life**

PART NO.	DESCRIPTION
SG AB17G-1	Spare Nozzle Kit 1.4mm (3 Pce) for SG AB17G
SG AB17G-2	Spare Nozzle Kit 1.7mm (3 Pce) for SG AB17G
SG AB17G-30	Plastic Cup 600cc



SG AS1001P-31
Filter for Upper Cup
for SG AB17G & SG AS1001A

SG AS1001A 1.4mm Gravity Feed Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 - 4.0 Bar (43 - 58 Psi)
Air Inlet	:	¼"
Air Consumption	:	170 - 311 L/min Or 6.0 - 11cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

For finishing and primer

PART NO.	DESCRIPTION
SG AS1001-1	Nozzle Kit 1.4mm (3 Pce) for SG AS1001A
SG AS1001-2	Nozzle Kit 1.7mm (3 Pce) for SG AS1001A
SG AS1001-3	Nozzle Kit 2.0mm (3 Pce) for SG AS1001A
SG AS1001-4	Plastic Cup 600cc



HVLP Gravity Feed Spray Gun

STANDARD

SG PP882AG 1.4mm Gravity Feed Spray Gun

TECHNICAL DATA

Optimal Working Pressure	:	3 Bar (43 Psi)
Air Inlet	:	¼"
Pattern Width	:	160 - 220 mm
Spray Distance	:	13 - 18cm
Air Consumption	:	7 - 10 cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

Large Spray pattern - Good for finishing

PART NO.	DESCRIPTION	
SG PP882AG -01	Nozzle Kit 1.4mm (3 Pce)	
SG PP882AG-03	Nozzle Kit 1.8mm (3 Pce)	
SG PP882AG-02	Plastic Cup 600cc	
SG PP882AGSK01	Service Kit Trigger Parts (27 - 34)	
SG PP882AGSK-02	Service Kit Air Adj. Parts (35 - 38)	
SG PP882AG-SK03	Service Kit Pattern Adj. Parts (39 - 44)	
SG PP882AG-SK04	Service Kit Fluid Adj. Parts (24 - 26)	
SG PP882AG-SK05	Service Kit Washers, O-rings, Gaskets	



SG AS1001P-31
Filter for Upper Cup
for SG PP882AG & SG Mp866



SG MP866 1.4mm Gravity Feed Spray Gun

TECHNICAL DATA

Optimal Working Pressure	:	1.5 - 3 Bar (22 - 43 Psi)
Air Inlet	:	¼" (bsp/nps)
Pattern Width	:	24 Cm
Air Consumption	:	340l/min Or 12 Cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

Stainless steel nozzle and needle for long life. Good finishing gun



HVLP Gravity Feed Spray Gun

CONTRACTOR

SG AC2000-01VP	1.3mm Gravity Feed Spray Gun
SG AC2000-02VP	1.4mm Gravity Feed Spray Gun
SG AC2000-03VP	1.7mm Gravity Feed Spray Gun

TECHNICAL DATA

Optimal Working Pressure	:	3.5 Bar (50Psi)
Air Inlet	:	¼" (bsp/nps)
Pattern Width	:	24 - 27cm
Air Consumption	:	300 - 400l/min or 11 - 16 Cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Spray Distance	:	200mm

**Stainless steel nozzle and needle for long life.
For enamel, laquer, metallic & primer paint**



SG AS1001P-31
Filter for Upper Cup
for SG 2000-01VP
SG 2000-02VP & SG 2000-03VP



HVLP Gravity Feed Spray Gun Kits

STANDARD

SG H827C 1.4mm Gravity Feed Spray Gun

SPRAY GUN w/1/4" Female connector & 8mm universal quick coupler
TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 - 4.0 Bar (45 - 60 Psi)
Air Inlet	:	1/4"
Air Consumption	:	170 - 300 L/min Or 6.0 - 11cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

For finishing and primer

PART NO.	DESCRIPTION
SG H827-4	Plastic Cup 600cc
SG H827-5	Aluminium Cup 800cc
SG H827-SK01	Service Kit Trigger Parts (12 - 17)
SG H827-SK02	Service Kit Air Compression Parts (5 - 7)
SG H827-SK03	Service Kit Pattern Adjustment (25-30)
SG H827-SK04	Service Kit Fluid Adj. Parts (32 - 34)
SG H827-SK05	Service Kit Washers & O-rings
SG H827-SK06	Service Kit Air Adj. Valve Assembly (29)



SG AS1001P-31
 Filter for Upper Cup
 for SG H827C & SG H827K



SG H827K 1.4mm Gravity Feed Spray Gun

SPRAY GUN with spare 1.7mm Nozzle Kit & Regulator
TECHNICAL DATA

Air Pressure (bar/psi)	:	3.0 - 4.0 Bar (45 - 60 Psi)
Air Inlet	:	1/4"
Air Consumption	:	170 - 300 L/min Or 6.0 - 11cfm
Capacity Of Cup (ml)	:	Plastic (600ml)
Feed Type	:	Gravity
Nozzle	:	1.4mm

For finishing and primer

PART NO.	DESCRIPTION
SG H827-4	Plastic Cup 600cc
SG H827-5	Aluminium Cup 800cc
SG H827-SK01	Service Kit Trigger Parts (12 - 17)
SG H827-SK02	Service Kit Air Compression Parts (5 - 7)
SG H827-SK03	Service Kit Pattern Adjustment (25-30)
SG H827-SK04	Service Kit Fluid Adj. Parts (32 - 34)
SG H827-SK05	Service Kit Washers & O-rings
SG H827-SK06	Service Kit Air Adj. Valve Assembly (29)



HVLP Spray Gun Kits

STANDARD



SG KIT01

2 Pce Kit with Gravity Feed Spray Gun
1.5mm nozzle w/5m spiral hose



SG KIT03

2 Pce Spray Gun Kit
SG H827 & SG H2000
Combo w/Polished Body HVLP



SG KIT04

6 Pce Set of Cleaning Brushes
for Spray Guns



SG KIT05

5 Pce Kit with Gravity Feed Spray Gun,
Air Duster, Paraffin Washer, Tyre Inflator
& 5m Spiral Hose



High Pressure Spray Gun

CONTRACTOR

SG PQ2 2.0mm High Pressure Suction Feed Spray Gun

TECHNICAL DATA

Air Pressure (bar/psi)	:	3 - 3.5 Bar (43 - 50psi)
Air Inlet	:	¼" Bsp
Pattern Width	:	Approx 24cm
Spray Distance	:	15 - 20cm
Air Consumption	:	283 - 368l/min Or 10 - 13cfm
Capacity Of Cup (ml)	:	Aluminium (1000ml)
Feed Type	:	Suction
Nozzle	:	2.0mm

Fully adjustable pattern control
High quality stainless steel nozzle kit

PART NO. DESCRIPTION

SG PQ2-01	Spare Nozzle Kit 2.0mm for SG PQ2
SG PQ2-02	Cup Gasket for SG PQ2
SG PQ2-03	Aluminium Cup for SG PQ2
SG4001-03	Spare Spray Gun Filter for SG PQ2



Excellent Atomization High Pressure Spray Gun

STANDARD

SG4001 1.8mm High Pressure Suction Feed Spray Gun

TECHNICAL DATA

HIGH PRESSURE

Air Pressure (bar/psi)	:	3.5 - 5.0 Bar (45 - 80psi)
Air Inlet	:	¼"
Pattern Width	:	Approx 24cm
Air Consumption	:	198 - 340l/min Or 7 - 12cfm
Capacity Of Cup (ml)	:	Aluminium (1000ml)
Feed Type	:	Suction
Nozzle	:	1.8mm

PART NO. DESCRIPTION

SG4001-01	Spare Nozzle Kit 1.7mm (Stainless steel)
SG4001-02	Cup Gasket for SG4001
SG4001-03	Spare Spray Gun Filter for SG4001



High Pressure HVLP Spray Gun

PROFESSIONAL

SG MP200 1.4mm HVLP Spray Gun

TECHNICAL DATA

Optimal Working Pressure	:	1.5 - 3 Bar (22 - 43 Psi)
Air Inlet	:	¼" (bsp/nps)
Pattern Width	:	24 Cm
Air Consumption	:	340l/min Or 12 Cfm
Capacity Of Cup (ml)	:	Aluminum (1000ml)
Feed Type	:	Suction
Nozzle	:	2.0mm

Stainless steel nozzle and needle for long life.

PART NO. DESCRIPTION

SG MP2000-01	Spare Nozzle Kit 1.7mm
SG MP2000-02	Cup Gasket for SG MP200
SG4001-03	Spare Spray Gun Filter for SG MP200



Air Duster / Blow Gun

STANDARD



SG AD05

Mini Air Duster/blow Gun w/Removable Venturi

Air Inlet: ¼"

Working Press. :	0 - 10 Bar
:	0 - 150 Psi



SG AD01

SPECIFICATIONS

Air Inlet	:	¼"
Working Press.	:	0 - 10 Bar
:	:	0 - 150 Psi



SG AD06

SPECIFICATIONS

Air Inlet	:	¼"
Working Press.	:	0 - 10 Bar
:	:	0 - 150 Psi



SG AD02

SPECIFICATIONS

Air Inlet	:	¼"
Working Press.	:	0 - 10 Bar
:	:	0 - 150 Psi



SG AD04

SPECIFICATIONS

Air Inlet	:	¼"
Working Press.	:	0 - 10 Bar
:	:	0 - 150 Psi

Low Pressure Suction Spray Gun

STANDARD

The SG 472A is a low pressure spray gun which is mainly used with medium and high viscosity paint for fast spraying and slow drying paints (enamels), to heavy quick drying paints as well as laquer, synthetic enamels and latex. The features are as follows:

- ! Air bleeder and fluid pressure feed.
- ! The body of the gun and cup are made of aluminium alloy, with a polished surface for operator comfort.
- ! Adjustable fan shaped control for vertical and horizontal patterns.

SG472A Low Pressure Suction Spray Gun 1.3mm

TECHNICAL DATA

Air Pressure (bar/psi)	:	2.0 - 3.5 Bar (30 - 50psi)
Air Inlet	:	1/4"
Air Consumption	:	85 - 127 L/min Or 3.0 - 4.5cfm
Capacity Of Cup (ml)	:	Aluminium (1000ml)
Feed Type	:	Suction
Nozzle	:	1.3mm

PART NO. DESCRIPTION

SG472-15	Rubber Gasket OD 68mm ID 53mm x 4.5mm
----------	--



**DO NOT USE ABOVE
3.5 Bar pressure
Minimum required
compressor 1/3HP**



Wash / Paraffin & Under Coating Gun

STANDARD

SG WGO1 Wash Paraffin Gun

Air Inlet	: 1/4"
Working Pressure	: 0 - 10 bar
	: 0 - 150 psi



HDIO2 Magnetic Hook for Spray Guns

Magnetic Hook For G/feed Spray Gun & Tool Heavy Duty

50mm wide steel hook with protective rubber coating

Heavy Duty Magnet

Holding Capacity	: 4.5kg
------------------	---------



SG PS6 Under Coating / Stone Chip Gun

Air Inlet	: 1/4"
Rated Pressure	: 3 - 8.2 bar
	: 45 - 120 psi



Convenient and easy to use
Plastic pipe can be used with
the nozzle to adapt to various
coating requirements

Tyre Inflators / Spares

SG STG05

SPECIFICATIONS

Air Inlet	: 1/4"
Working Press.	: 0 - 10 Bar
	: 0 - 150 Psi

For inflating & deflating tyres,
& measuring tyre pressure



TYRE CHUCK HD DUAL HEAD

SG DTC-10	1/8" F 2-Way
SG DTC-10P	1/8" F 2-Way Carded 1 Pce



SG SS-28

1/4" Air Chuck - auto stop/start



SG DTC-12

Heavy Duty Dual Head
Tyre Chuck - 8mm Hose

TYRE CHUCK

SG ATC-06	6mm Hose Bulk
SG ATC-09	8mm Hose Bulk
SG ATC-09P	8mm Hose Carded 1 Pk



TYRE CHUCK HD DUAL HEAD

SG ATC-01	1/4" F Lock On
SG ATC-01P	1/4" F Lock On Carded 1 Pce



Paint Pots / Accessories

CONTRACTOR



10L

SG PP10

10 Litre Manual Mixer
Paint Pot only

SG PP10-1 Spare Gasket



SG PP10-2

10 Litre Automatic Mixer
Paint Pot only

SG PP10-3 Spare Gasket



10L

SG PPX1 10 Litre Mixer Pot w/2m Hose & Gun

SG PPX1-1 Spare Gasket

SG PPX1-2 Air Gauge 160 PSI/11 Bar ¼" M

SG PPX1-3 Air Gauge 85 PSI/6 Bar Bottom Fit



20L

SG PP20

20 Litre Manual Mixer
Paint Pot only

SG PP20-2 Spare Gasket



SG PP20-1

20 Litre Automatic Mixer
Paint Pot only

SG PP20-3 Spare Gasket



40L

SG PP40

40 Litre Manual Mixer
Paint Pot only

SG PP40-2 Spare Gasket



SG PP40-1

40 Litre Automatic Mixer
Paint Pot only

SG PP40-3 Spare Gasket

SG PPX400IS

7.5m Hose For Paint Pots with 2.2mm Spray Gun

Accessories:

SG PPX400IS-4 Spray Gun Only 1.8mm Nozzle for Paint Pot

SG PPX400IS-3 Spray Gun Only 2.0mm Nozzle for Paint Pot

SG PPX400IS-2 Spray Gun Only 2.2mm Nozzle for Paint Pot

SG PPX400IS-1 7.5m Rubber Hose (only)

SG PPPQ2U Spray Gun Only 2.0mm Nozzle SG 472A

SG PPPQ2U-1 Spare Nozzle 2.0mm

SG PPX13 Air Gauge 85 PSI/6 Bar ¼" M Bottom Fit



SG PPPQ2U

Air Brush Kits

STANDARD



SG AI38

SPECIFICATIONS

Working Pressure :	3 - 5 Bar
:	15 - 50 Psi

Contents:

Fine Hand Airbrush, 5ft Vinyl Hose, 2 Jars
With Lids, Propel Regulator And Adaptor.

**Spray pattern adjusts from
1/4" - 1-1/2"
for maximum versatility.**



SG AI30

SPECIFICATIONS

Feed Type :	Gravity
Nozzle Diameter :	0.3mm
Metal Cup :	7cc
Working Pressure :	1.03-3.45 Bar
:	15 - 50 Psi

**Double Action trigger
air paint control**



SG AI30K

SPECIFICATIONS

Feed Type :	Gravity
Nozzle Diameter :	0.2, 0.3, 0.5mm
Needle Diameter :	0.3mm
Cup Capacity :	7cc Metal
Air Hose :	1.8m
Regulator :	G1/4-g1/8
Working Pressure :	3 - 5 Bar
:	15 - 50 Psi



SG AI80

SPECIFICATIONS

Feed Type :	Gravity
Nozzle Diameter :	0.25mm
Cup Capacity :	9cc
Working Pressure :	1.03-3.45 Bar
:	15 - 50 Psi

**Double Action trigger
air paint control**



SG AI80K

SPECIFICATIONS

Feed Type :	Gravity
Nozzle Diameter :	0.25mm
Needle Diameter :	0.25mm
Metal Cup :	9cc Metal
Air Hose :	1.8m
Working Pressure :	3 - 5 Bar
:	15 - 50 Psi



SG AI82

SPECIFICATIONS

Feed Type :	Suction
Nozzle Diameter :	0.5mm
Glass Jar :	22cc
Working Pressure :	1.03-3.45 Bar
:	15 - 50 Psi

**Double Action trigger
air paint control**



Air Brush Accessories

STANDARD


SG A178

SPECIFICATIONS

Air Eraser & Sandblaster Kit

Feed Type	:	Gravity
Nozzle Diameter	:	0.5mm
Cup Capacity	:	15cc
Working Pressure	:	1.03-4.48 Bar
	:	30 - 65 Psi

The Air Eraser is a versatile instrument that can erase color errors and act as an etching tool.

- It is used by hobbyists and manufacturers to clean jewelry and fine parts, remove discoloration, rust and corrosion, etch glass or cut monograms.
- It is used by lithographers to highlight half-tones and erase defects without marring the surface or leaving smudges.
- Used by model railroaders for weathering railcars and accessories.

Accessories:

SG178-02	Sand for Sandblaster
SG 178-03	1kg Sandblasting Sand 150g Aluminium Oxide



SG E240

AIR BRUSH SPRAY BOOTH W/EXTRACTOR

SG E240-01 Spare Filter

- Suitable for all kinds of airbrushing.
- Extracts and filters harmful fumes
- Folds and deploys for maximum portability
- Fully transparent work booth
- Built in extraction motor and filtration system
- Very low noise motor - 47db
- Power 25W
- Voltage 220-240v 50Hz
- Air flow 3m³/min
- Dimensions : Extended 48 x 42 x 36cm
- : Folded 42 x 15 x 24cm
- Power cord with auto rewind function



SG BD-400

Air Brush Holder w/6 Clips

- Adjustable arms can be bent and shaped as needed to hold your work piece in place.
- Suitable for all kinds of air-brushes.
- Holds up to 6 airbrushes.
- Ideal for painting small parts that cannot be handled wet.



SG HLOI

Air Brush Holder w/4 Hooks

Suitable for all kinds of airbrushes
 Holds up to 4 airbrushes
 Clamps to a table edge
 Includes bracket to mount an inline air regulator



SG HLO2

Air Brush Holder w/4 Hooks

Suitable for all kinds of airbrushes
 Holds up to 4 airbrushes
 Steel base with suction cups to secure to smooth counter top



SG HLO4

Air Brush Holder w/2 Clips

Suitable for all kinds of airbrushes
 !Holds up to 2 airbrushes
 !For mounting on air regulator

SG CPOI

3 in 1 Airbrush Cleaning Pot

- Used for cleaning the residual paint in airbrushes
- Cap can be used as palette and water cap



Air Brush Accessories

STANDARD

Accessories:

SG BD-01	Glass Jar 22cc for Airbrush
SG BD-02	Glass Jar w/Spout 22cc for Airbrush
SG BD-03	Glass Jar w/Spout 22 cc
SG BD-117	Quick Coupler for Airbrush
SG BD-430	5pc Set of Cleaning Brushes for Airbrush
SG BD-470	Airbrush Nozzle cleaning Needle
SG BD-48	Air Canister Cap
SG BD-480	Airbrush Finger Rest
SG BD-A1	Hose to Comp fit M5 x 1/8 FM
SG BD-A4	Fitting 1/4F X 1/8M
SG BD-A5	Fitting 1/8F X 1/4M
SG BD-A6	Fitting 1/4M X 1/4M
SG BD-A7	Fitting 1/8F X M5 M
SG BD42	Nozzle Cover For Airbrush
SG BD51-52	Hose Tail 1/8F X 5mm M
SG ADA01	Adaptor M0.5F x 1/8" M for Airbrush
GIO5000	Adaptor M5 x 0.45 x 1/4" F/M for Airbrush
GIO5000-1	Adaptor M5 x 0.45 x 1/8" F/M for Airbrush



SG BD-A5



SG BD-A6



SG BD-117



SG BD-01/SG BD-02



SG BD-A1



SG BD-A7



SG BD-470



SG BD-430



SG BD-A4



SG BD51-52



SG BD42



SG BD-480



GIO5000



SG ADA01



GIO5000-1



Air Brush Filter

SG F02

MINI FILTER IN LINE

Port Size : 1/8" (BSP)



Air Brush Hoses



SG AH01

1.5m (5 ft.) Spiral Air Hose
1/8F x 1/4F fitting on each end
O-ring sealed fittings to prevent leakage

SG AH02

1.5m (5 ft.) Spiral Air Hose
M5F x 1/4" F fitting on each end



SG AH03

1.5m (5 ft.) Spiral Air Hose
M5F x M5F fitting on each end
O-ring sealed fittings to prevent leakage



SG AH05

3m (10 ft.) Nylon Braided Air Hose with a durable and tight woven nylon cover
1/8"F x 1/8"F fitting on each end
Maximum 85 PSI/5.8 Bar
Burst pressure 140 PSI/10 Bar
O-ring sealed fittings to prevent leakage



SG AH04

3m (10 ft.) Spiral Air Hose
1/8"F x 1/8"F fitting on each end
O-ring sealed fittings



SG AH06

3m (10 ft.) Nylon Braided Air Hose with a durable and tight woven nylon cover
1/8"F x 1/4"F fitting on each end
Maximum 85 PSI/5.8 Bar
Burst pressure 140 PSI/10 Bar
O-ring sealed fittings to prevent leakage



SG AH07

2.5m Rubber Hose
1/4" BSP F x 1/4" BSP F
Diameter 12 x 6mm
Max. working pressure 10 Bar

Mini Air Compressors

STANDARD


SG COMPO4

SPECIFICATIONS : Single Cylinder

Motor Power	: 1/6 HP
Volt	: 220 - 240 (50hz)
Air Flow	: 23 L/min
Rated Speed	: 1450/1700rpm
Max. Pressure	: 4 Bar

Oil free, auto stop/start, thermal Protection, w/filter regulator
 Suitable for airbrush with 0.2 - 1.0mm nozzle



SG COMPO4K

SPECIFICATIONS

Motor Power	: 1/6 HP
Volt	: 220 - 240 (50hz)
Air Flow	: 23 L/min
Rated Speed	: 1450/1700rpm
Max. Pressure	: 4 Bar

oil free, auto stop/start, thermal protection, w/filter regulator
 suitable for airbrush with 0.2 - 1.0mm nozzle



SG COMPO6

SPECIFICATIONS -

Single Cylinder With Tank

Motor Power	: 1/5 HP
Volt	: 220 - 240 (50hz)
Air Flow	: 23 L/min
Rated Speed	: 1450rpm
Max. Pressure	: 6 Bar
Air Tank	: 3.0 Litre

Oil free, auto stop/start, thermal protection, w/filter regulator



SG COMPO7

SPECIFICATIONS -

Twin Cylinder W/tank

Motor Power	: 1/6 HP
Volt	: 220 - 240 (50hz)
Air Flow	: 20 - 23 L/min
Max. Pressure	: 6 Bar

Oil free, auto stop/start, thermal Protection, w/filter regulator



SG COMPO9

SPECIFICATIONS

Motor Power	: 1/6HP
Volt	: 220v (50hz)
Air Flow	: 20 - 23 L/min
Rated Speed	: 2900 - 3400rpm
Max. Pressure	: 3.1 Bar
Working Press	: 10 - 30 Psi
Air Outlet	: 1/4" Bsp/npt
Air Hose	: 1.7m
Air Tank	: 0.3 Litre



SG COMPI3

SPECIFICATIONS - MINI

COMPRESSOR : C/W Airbrush,

5x Paints, 6x Stencils

'AC DC dual power supply choice

'Up to 90 mins run-time on full charge

'Includes airbrush dia. 0.2 - 0.5mm

'Suitable for make-up, cosmetics, tattoos and hobbies - packaged in handy aluminium case



SG COMPO9K

SPECIFICATIONS : Oil free

Motor Power	: 1/4 HP
Volt	: 220 - 240 (50hz)
Air Flow	: 65 - 68 L/min
Rated Speed	: 1450rpm
Max. Pressure	: 3.5 Bar / 50psi



SG COMPI2

Mini Compressor w/Airbrush

AC/DC dual power supply choice

Up to 90 mins run-time on full charge

Includes airbrush dia. 0.2 - 0.5mm

Suitable for make-up, cosmetics, tattoos & hobbies

Includes bag & belt for mobile work



SG COMPO8K

MINI COMPRESSOR

c/w LP Spray Gun

'Suitable for interior and exterior wall painting, furniture etc

Vacuum Pumps



SG VACO1

SPECIFICATIONS

Motor Power	: 1/5 Hp
Volt	: 220 - 240 (50hz)
Air Flow	: 20 - 23 L/min
Rated Speed	: 1450rpm
Vacuum Degree	: 600mmHG



SG VACO2

SPECIFICATIONS

Motor Power	: 1/5 Hp
Volt	: 220 - 240 (50hz)
Air Flow	: 35 - 40 L/min
Rated Speed	: 2900rpm
Vacuum Degree	: 650mmHG



SG VACO5

SPECIFICATIONS

Motor Power	: 1/6 HP
Volt	: 220 - 240 (50HZ)
Air Flow	: 23 l/min
Vacuum Degree	: 600mmHG

Pressure Switches

CONTRACTOR



SD42001

1 Phase 1 Way
Push in valve



SD42002

1 Phase 4 Way
Push in valve



SD42003

1 Phase 1 Way
Brass Ferrule
Also available;

SD42005

3 Phase 1 Way



SD42004

1 Phase 4 Way
Brass Ferrule
Also available;

SD42006

3 Phase 4 Way

Pressure Gauges

STANDARD



SD40R-1 40mm Rear 1/8"

SD40R-2 40mm Rear 1/4"

SD50R-1 50mm Rear 1/8"

SD50R-2 50mm Rear 1/4"

SD63R-1 63mm Rear 1/4"



SD63BG

SPECIFICATIONS

63mm Pressure gauge
Bottom 1/4"
Glycerine filled



SD63B-I

SPECIFICATIONS

63mm Pressure gauge
Bottom 1/4"

Accessories

STANDARD

Plastic Breather Silencer Blue



SG PSU-6	1/8" M
SG PSU-8	1/4" M
SG PSU-10	3/8" M
SG PSU-15	1/2" M
SG PSU-20	3/4" M

Plastic Breather Silencer Orange



SG SU-6	1/8" M
SG SU-8	1/4" M
SG SU-10	3/8" M
SG SU-15	1/2" M
SG SU-20	3/4" M

SG FOI

FILTER IN LINE
Port Size : 1/4" (BSP)



SG LOI

LUBRICATOR IN LINE
Port Size : 1/4" (BSP)



SG ROI

AIR REGULATOR
Port Size :
1/4" (BSP) In line



SG FROI

SPECIFICATIONS

Filter Regulator 2-in-1 Inline
1/4" Thread



Air Fittings

UNIVERSAL QUICK COUPLER

SG3000 ¼" M Bulk
SG3001 ⅜" M Bulk
SG3002 ½" M Bulk



SG5000 ¼" F Bulk
SG5001 ⅜" F Bulk
SG5002 ½" F Bulk



SG5009 6mm Hosetail Bulk
SG5010 8mm Hosetail Bulk
SG5011 10mm Hosetail Bulk



* Available in Pre-packs

QUICK COUPLER ARO TYPE

SG10001 ¼" F Bulk



QUICK COUPLER ARO TYPE

SG10002 ¼" F Bulk



* ARO STYLE BRASS / NICKLE-PLATED

QUICK COUPLER GERMAN TYPE

SG5000-1 ¼" F Bulk



* Available in Pre-packs

QUICK COUPLERS / INSERTS ARO TYPE

SG10010 ¼" M Bulk



SG10020 ¼" F Bulk



SG10050 6mm Bulk
SG10060 8mm Bulk
SG10070 10mm Bulk



* Available in Pre-packs

QUICK COUPLERS / INSERTS GERMAN TYPE

SG11000 ¼" M Bulk
SG11001 ⅜" M Bulk



SG11010 ¼" Female Bulk
SG11011 ⅜" Female Bulk



SG11020 6mm Hosetail Bulk
SG11030 8mm Hosetail Bulk
SG11031 10mm Hosetail Bulk



* Available in Pre-packs

HOSE ADAPTORS PLATED

SG12010 6mm x ¼" M
SG12020 8mm x ¼" M
SG12030 10mm x ¼" M
SG12040 12mm x ¼" M



* Available in Pre-packs

SG13010 6mm x ¼" F
SG13040 8mm x ¼" F
SG13050 10mm x ¼" F



Air Fittings

HOSE CONNECTOR

SG10231	6mm Brass
SG10232	8mm Brass
SG10233	10mm Brass
SG10234	12mm Brass



* Available in Pre-packs

T TYPE HOSE CONNECTOR

SG10261	6mm Brass
SG10262	8mm Brass
SG10263	10mm Brass
SG10264	12mm Brass



Y TYPE HOSE CONNECTOR

SG10252	Bulk
----------------	------



4 WAY HOSE CONNECTOR

SG10272	8mm Bulk Brass
----------------	----------------



HOSE ADAPTOR BRASS

BULK	MT x Φ H
SBM1257	¼" x 6mm
SBM1258	¼" x 8mm
SBM1259	¼" x 10mm
SBM1260	¼" x 12mm
SBM1261	¼" x 13mm



BULK	FT x Φ H
------	----------

SBF1257	¼" x 6mm
SBF1258	¼" x 8mm
SBF1259	¼" x 10mm
SBF1260	¼" x 12mm



HOSE REPAIR KIT

SG SS-26
8mm w/Double Union
& Hose Clips



SWIVEL CONNECTOR

SG6000
¼" M BSP Aro Type



* Available in Pre-packs

QUICK COUPLER SET

SG5AM
5 Pce Aro Quick Coupler Set



CROSS TYPE CONNECTOR

SG11140
¼" M BSP



BALL VALVE - FEMALE/FEMALE

BULK	FTI X FT2
SG SP016	¼" x ¼"
SG SP017	⅜" x ⅜"
SG SP018	½" x ½"



* Available in Pre-packs

BALL VALVE - BRASS

SG SP0216	¼" F/M
SG SP0217	⅜" F/M
SG SP0218	½" F/M
SG SP0219	¾" F/M



* Available in Pre-packs

BALL VALVE - BRASS / NICKLE PLATED

SG SP0315	⅛" F/F
SG SP0316	¼" F/F
SG SP0317	⅜" F/F
SG SP0318	½" F/F
SG SP0319	¾" F/F



BALL VALVE - BRASS / NICKLE PLATED

SG SP0415	⅛" M/F
SG SP0416	¼" M/F
SG SP0417	⅜" M/F
SG SP0418	½" M/F
SG SP0419	¾" M/F



Brass Pipe Fittings

TAPER NIPPLE

PART NO	M x F
SB1205	1/8" x 1/8"
SB1206	1/4" x 1/4"
SB1207	3/8" x 3/8"
SB1208	1/2" x 1/2"
SB1216	3/4" x 3/4"



TAPER REDUCER NIPPLE

PART NO	M x M
SB1209	1/8" x 1/4"
SB1210	1/8" x 3/8"
SB1211	1/8" x 1/2"
SB1212	1/4" x 3/8"
SB1213	1/4" x 1/2"
SB1214	3/8" x 1/2"
SB1215	1/2" x 3/4"



SOCKET

PART NO	F x F
SB1242	1/8" x 1/8"
SB1243	1/4" x 1/4"
SB1244	3/8" x 3/8"
SB1245	1/2" x 1/2"
SB1253	3/4" x 3/4"



REDUCING SOCKET

PART NO	F x F
SB1246	1/8" x 1/4"
SB1247	1/8" x 3/8"
SB1248	1/8" x 1/2"
SB1249	1/4" x 3/8"
SB1250	1/4" x 1/2"
SB1251	3/8" x 1/2"
SB1252	1/2" x 3/4"



STRAIGHT CONNECTOR

PART NO	M x F
SB1217	1/8" x 1/8"
SB1221	1/4" x 1/4"
SB1224	3/8" x 3/8"
SB1226	1/2" x 1/2"



TAPER REDUCER BUSH

PART NO	M x F
SB1228	1/4" x 1/8"
SB1229	3/8" x 1/8"
SB1230	3/8" x 1/4"
SB1231	1/2" x 1/8"
SB1232	1/2" x 1/4"
SB1233	1/2" x 3/8"
SB1234	3/4" x 1/4"
SB1235	3/4" x 3/8"
SB1236	3/4" x 1/2"



TAPER REDUCER BUSH

PART NO	M x F
SB1218	1/8" x 1/4"
SB1219	1/8" x 3/8"
SB1220	1/8" x 1/2"
SB1222	1/4" x 3/8"
SB1223	1/4" x 1/2"
SB1225	3/8" x 1/2"
SB1227	1/2" x 3/4"



FLOW CONTROL SILENCER

BULK	MT
SG SB-10	3/8"
SGSB-15	1/2"
SG SB-6	1/8"
SG SB-8	1/4"



CONICAL MUFFLER M

PART NO	MT
SG A-10A	3/8"
SG A-15A	1/2"
SG A-6A	1/8"
SG A-8A	1/4"
SG AAS-10	3/8"
SG AAS-15	1/2"
SG AAS-6	1/8"
SG AAS-8	1/4"



FLAT MUFFLER M

PART NO	MT
SG V-10	3/8"
SG V-15	1/2"
SG V-6	1/8"
SG V-8	1/4"
SG VS-10	3/8"
SG VS-15	1/2"
SG VS-6	1/8"
SG VS-8	1/4"


 SG V
series

 SG VS
series


Brass Compression Fittings

FERRULE BRASS

PART NO	SIZE
SB6002	5/32"
SB6004	1/4"
SB6005	5/16"
SB6006	3/8"
SB6008	1/2"



STANDARD NUT BRASS

PART NO	SIZE
SB610212	5/32"
SB610004	1/4"
SB610005	5/16"
SB610006	3/8"
SB610008	1/2"



CONICAL STRAIGHT JOINT

PART NO	SIZE
SB6202	4mm
SB6204	6mm
SB6205	8mm
SB6206	10mm
SB6208	12mm



REDUCED CONICAL STRAIGHT JOINT

PART NO	SIZE
SB62R054	5/16" x 1/4"
SB62R064	3/8" x 1/4"
SB62R065	3/8" x 5/16"
SB62R086	1/2" x 3/8"



CONICAL STRAIGHT TUBE

PART NO	SIZE
SB6802A	5/32" x 1/8" M
SB6804A	1/4" x 1/8" M
SB6804B	1/4" x 1/4" M
SB6804C	1/4" x 3/8" M
SB6804D	1/4" x 1/2" M
SB6805A	5/16" x 1/8" M
SB6805B	5/16" x 1/4" M
SB6805C	5/16" x 3/8" M
SB6806A	3/8" x 1/8" M
SB6806B	3/8" x 1/4" M
SB6806C	3/8" x 3/8" M
SB6806D	3/8" x 1/2" M
SB6808B	1/2" x 1/4" M
SB6808C	1/2" x 3/8" M
SB6808D	1/2" x 1/2" M



TUBE/F-PIPE CONNECTOR

PART NO	SIZE
SB6604A	1/4" x 1/8" F
SB6604B	1/4" x 1/4" F
SB6604C	1/4" x 3/8" F
SB6604D	1/4" x 1/2" F
SB6605A	5/16" x 1/8" F
SB6605B	5/16" x 1/4" F
SB6606A	3/8" x 1/8" F
SB6606B	3/8" x 1/4" F
SB6606C	3/8" x 3/8" F
SB6606D	3/8" x 1/2" F
SB6608C	1/2" x 3/8" F
SB6608D	1/2" x 1/2" F



CONICAL ELBOW

PART NO	SIZE
SB6503	3/16"
SB6504	1/4"
SB6505	5/16"
SB6506	3/8"
SB6508	1/2"



CONICAL TEE

PART NO	SIZE
SB6402	5/32"
SB6404	1/4"
SB6405	5/16"
SB6406	3/8"
SB6408	1/2"



REDUCED CONICAL TEE

PART NO	SIZE
SB64R46	1/4" x 1/4" x 3/8"
SB64R84	1/2" x 1/2" x 1/4"
SB64R86	1/2" x 1/2" x 3/8"
SB64R106	3/8" x 3/8" x 3/8"



CONICAL ELBOW

PART NO	SIZE
SB6901	5/32" x 1/8" M
SB6904A	1/4" x 1/8" M
SB6904B	1/4" x 1/4" M
SB6904C	1/4" x 3/8" M
SB6904D	1/4" x 1/2" M
SB6905A	5/16" x 1/8" M
SB6905B	5/16" x 1/4" M
SB6905C	5/16" x 3/8" M
SB6906A	3/8" x 1/8" M
SB6906B	3/8" x 1/4" M
SB6906C	3/8" x 3/8" M
SB6906D	3/8" x 1/2" M
SB6908B	1/2" x 1/4" M
SB6908C	1/2" x 3/8" M
SB6908D	1/2" x 1/2" M
SB6908E	1/2" x 3/4" M



PU Hose Fittings

PART NO. Φ D - T STRAIGHT FITTING MALE

SPC04-M5	4mm - M5
SPC04-M6	4mm - M6
SPC04-01	4mm x $\frac{1}{8}$ "
SPC04-02	4mm x $\frac{1}{4}$ "
SPC06-M5	6mm - M5
SPC06-M6	6mm - M6
SPC06-01	6mm x $\frac{1}{8}$ "
SPC06-02	6mm x $\frac{1}{4}$ "
SPC06-03	6mm x $\frac{3}{8}$ "
SPC06-04	6mm x $\frac{1}{2}$ "
SPC08-01	8mm x $\frac{1}{8}$ "
SPC08-02	8mm x $\frac{1}{4}$ "
SPC08-03	8mm x $\frac{3}{8}$ "
SPC08-04	8mm x $\frac{1}{2}$ "
SPC10-01	10mm x $\frac{1}{8}$ "
SPC10-02	10mm x $\frac{1}{4}$ "
SPC10-03	10mm x $\frac{3}{8}$ "
SPC10-04	10mm x $\frac{1}{2}$ "
SPC12-01	12mm x $\frac{1}{8}$ "
SPC12-02	12mm x $\frac{1}{4}$ "
SPC12-03	12mm x $\frac{3}{8}$ "
SPC12-04	12mm x $\frac{1}{2}$ "
SPC14-02	14mm x $\frac{1}{4}$ "
SPC14-04	14mm x $\frac{1}{2}$ "



PART NO. Φ D - T STRAIGHT FITTING FEMALE

SPCF04-01	4mm x $\frac{1}{8}$ "
SPCF04-02	4mm x $\frac{1}{4}$ "
SPCF06-01	6mm x $\frac{1}{8}$ "
SPCF06-02	6mm x $\frac{1}{4}$ "
SPCF06-03	6mm x $\frac{3}{8}$ "
SPCF06-04	6mm x $\frac{1}{2}$ "
SPCF08-01	8mm x $\frac{1}{8}$ "
SPCF08-02	8mm x $\frac{1}{4}$ "
SPCF08-03	8mm x $\frac{3}{8}$ "
SPCF08-04	8mm x $\frac{1}{2}$ "
SPCF10-01	10mm x $\frac{1}{8}$ "
SPCF10-02	10mm x $\frac{1}{4}$ "
SPCF10-03	10mm x $\frac{3}{8}$ "
SPCF10-04	10mm x $\frac{1}{2}$ "
SPCF12-01	12mm x $\frac{1}{8}$ "
SPCF12-02	12mm x $\frac{1}{4}$ "
SPCF12-03	12mm x $\frac{3}{8}$ "
SPCF12-04	12mm x $\frac{1}{2}$ "
SPCF14-02	14mm x $\frac{1}{4}$ "
SPCF14-04	14mm x $\frac{1}{2}$ "



PART NO. Φ D - T ELBOW

SPL04-M5	4mm - M5
SPL04-M6	4mm - M6
SPL04-01	4mm x $\frac{1}{8}$ "
SPL04-02	4mm x $\frac{1}{4}$ "
SPL06-M5	6mm - M5
SPL06-M6	6mm - M6
SPL06-01	6mm x $\frac{1}{8}$ "
SPL06-02	6mm x $\frac{1}{4}$ "
SPL06-03	6mm x $\frac{3}{8}$ "
SPL06-04	6mm x $\frac{1}{2}$ "
SPL08-01	8mm x $\frac{1}{8}$ "
SPL08-02	8mm x $\frac{1}{4}$ "
SPL08-03	8mm x $\frac{3}{8}$ "
SPL08-04	8mm x $\frac{1}{2}$ "
SPL10-02	10mm x $\frac{1}{4}$ "
SPL10-03	10mm x $\frac{3}{8}$ "
SPL10-04	10mm x $\frac{1}{2}$ "
SPL12-01	12mm x $\frac{1}{8}$ "
SPL12-02	12mm x $\frac{1}{4}$ "
SPL12-03	12mm x $\frac{3}{8}$ "
SPL12-04	12mm x $\frac{1}{2}$ "
SPL14-02	14mm x $\frac{1}{4}$ "
SPL14-04	14mm x $\frac{1}{2}$ "



PART NO. Φ D - T TEE JOINT

SPB04-M5	4mm - M5
SPB04-M6	4mm - M6
SPB04-01	4mm x $\frac{1}{8}$ "
SPB04-02	4mm x $\frac{1}{4}$ "
SPB06-M5	6mm - M5
SPB06-M6	6mm - M6
SPB06-01	6mm x $\frac{1}{8}$ "
SPB06-02	6mm x $\frac{1}{4}$ "
SPB06-03	6mm x $\frac{3}{8}$ "
SPB06-04	6mm x $\frac{1}{2}$ "
SPB08-01	8mm x $\frac{1}{8}$ "
SPB08-02	8mm x $\frac{1}{4}$ "
SPB08-03	8mm x $\frac{3}{8}$ "
SPB08-04	8mm x $\frac{1}{2}$ "
SPB10-01	10mm x $\frac{1}{8}$ "
SPB10-02	10mm x $\frac{1}{4}$ "
SPB10-03	10mm x $\frac{3}{8}$ "
SPB10-04	10mm x $\frac{1}{2}$ "
SPB12-01	12mm x $\frac{1}{8}$ "
SPB12-02	12mm x $\frac{1}{4}$ "
SPB12-03	12mm x $\frac{3}{8}$ "
SPB12-04	12mm x $\frac{1}{2}$ "
SPB14-02	14mm x $\frac{1}{4}$ "
SPB14-04	14mm x $\frac{1}{2}$ "



PART NO. Φ D - T ELBOW

SPLF04-01	4mm x $\frac{1}{8}$ "
SPLF04-02	4mm x $\frac{1}{4}$ "
SPLF06-01	6mm x $\frac{1}{8}$ "
SPLF06-02	6mm x $\frac{1}{4}$ "
SPLF06-03	6mm x $\frac{3}{8}$ "
SPLF06-04	6mm x $\frac{1}{2}$ "
SPLF08-01	8mm x $\frac{1}{8}$ "
SPLF08-02	8mm x $\frac{1}{4}$ "
SPLF08-03	8mm x $\frac{3}{8}$ "
SPLF08-04	8mm x $\frac{1}{2}$ "
SPLF10-02	10mm x $\frac{1}{4}$ "
SPLF10-03	10mm x $\frac{3}{8}$ "
SPLF10-04	10mm x $\frac{1}{2}$ "
SPLF12-01	12mm x $\frac{1}{8}$ "
SPLF12-02	12mm x $\frac{1}{4}$ "
SPLF12-03	12mm x $\frac{3}{8}$ "
SPLF12-04	12mm x $\frac{1}{2}$ "
SPLF14-02	14mm x $\frac{1}{4}$ "
SPLF14-04	14mm x $\frac{1}{2}$ "



Y JOINT PART NO. Φ D - T

SPX04-01	4mm x $\frac{1}{8}$ "
SPX04-02	4mm x $\frac{1}{4}$ "
SPX06-01	6mm x $\frac{1}{8}$ "
SPX06-02	6mm x $\frac{1}{4}$ "
SPX06-03	6mm x $\frac{3}{8}$ "
SPX06-04	6mm x $\frac{1}{2}$ "
SPX08-01	8mm x $\frac{1}{8}$ "
SPX08-02	8mm x $\frac{1}{4}$ "
SPX08-03	8mm x $\frac{3}{8}$ "
SPX08-04	8mm x $\frac{1}{2}$ "
SPX10-01	10mm x $\frac{1}{8}$ "
SPX10-02	10mm x $\frac{1}{4}$ "
SPX10-03	10mm x $\frac{3}{8}$ "
SPX10-04	10mm x $\frac{1}{2}$ "
SPX12-01	12mm x $\frac{1}{8}$ "
SPX12-02	12mm x $\frac{1}{4}$ "
SPX12-03	12mm x $\frac{3}{8}$ "
SPX12-04	12mm x $\frac{1}{2}$ "
SPX14-02	14mm x $\frac{1}{4}$ "
SPX14-04	14mm x $\frac{1}{2}$ "



PU Hose Fittings

PART NO.	Φ D - T	STRAIGHT
SPC04-G01	4mm x 1/8"	
SPC04-G02	4mm x 1/4"	
SPC06-G01	6mm x 1/8"	
SPC06-G02	6mm x 1/4"	
SPC06-G03	6mm x 3/8"	
SPC08-G01	8mm x 1/8"	
SPC08-G02	8mm x 1/4"	
SPC08-G03	8mm x 3/8"	
SPC08-G04	8mm x 1/2"	
SPC10-G02	10mm x 1/4"	
SPC10-G03	10mm x 3/8"	
SPC10-G04	10mm x 1/2"	
SPC14-G02	14mm x 1/4"	
SPC14-G04	14mm x 1/2"	

PART NO.	Φ D	4-WAY CONNECTOR
SG APZ04	4mm	
SG APZ06	6mm	
SG APZ08	8mm	
SG APZ10	10mm	
SG APZ12	12mm	

PART NO.	Φ D	STRAIGHT CONNECTOR
SPU 04	4mm	
SPU 06	6mm	
SPU 08	8mm	
SPU 10	10mm	
SPU 12	12mm	
SPU 14	14mm	

PART NO.	Φ D	ELBOW
SPV 04	4mm	
SPV 06	6mm	
SPV 08	8mm	
SPV 10	10mm	
SPV 12	12mm	
SPV 14	14mm	

PART NO.	Φ D	TEE JOINT
SPE 04	4mm	
SPE 06	6mm	
SPE 08	8mm	
SPE 10	10mm	
SPE 12	12mm	
SPE 14	14mm	

PART NO.	Φ DI - Φ D2	MANIFOLD
SPKG04-04	4mm - 4mm	
SPKG06-04	6mm - 4mm	
SPKG06-06	6mm - 6mm	
SPKG08-06	8mm - 6mm	
SPKG08-08	8mm - 8mm	
SPKG10-08	10mm - 8mm	
SPKG10-10	10mm - 10mm	
SPKG12-10	12mm - 10mm	

PART NO.	Φ D	CLOSING PLUG
SG APP04	4mm	
SG APP06	6mm	
SG APP08	8mm	
SG APP10	10mm	
SG APP12	12mm	

PART NO.	Φ D - T	ELBOW
SPL04-G01	4mm x 1/8"	
SPL04-G02	4mm x 1/4"	
SPL06-G01	6mm x 1/8"	
SPL06-G02	6mm x 1/4"	
SPL06-G03	6mm x 3/8"	
SPL06-G04	6mm x 1/2"	
SPL08-G01	8mm x 1/8"	
SPL08-G02	8mm x 1/4"	
SPL08-G03	8mm x 3/8"	
SPL08-G04	8mm x 1/2"	
SPL10-G01	10mm x 1/8"	
SPL10-G02	10mm x 1/4"	
SPL10-G03	10mm x 3/8"	
SPL10-G04	10mm x 1/2"	
SPL12-G01	12mm x 1/8"	
SPL12-G02	12mm x 1/4"	
SPL12-G03	12mm x 3/8"	
SPL12-G04	12mm x 1/2"	
SPL14-G02	14mm x 1/4"	
SPL14-G04	14mm x 1/2"	

PART NO.	Φ DI - Φ D2	CONNECTOR / REDUCER
SPG06-04	6mm - 4mm	
SPG08-06	8mm - 6mm	
SPG10-06	10mm - 6mm	
SPG10-08	10mm - 8mm	
SPG12-06	12mm - 6mm	
SPG12-08	12mm - 8mm	
SPG12-10	12mm - 10mm	
SPG14-12	14mm - 12mm	
SPG16-12	16mm - 12mm	
SPG16-14	16mm - 14mm	

PART NO.	Φ D	Y JOINT
SPY 06	6mm	
SPY 08	8mm	
SPY 10	10mm	
SPY 12	12mm	
SPY 14	14mm	

PART NO.	Φ D - T	TEE JOINT
SPE04-06	4mm - 6mm	
SPE04-08	4mm - 8mm	
SPE06-08	6mm - 8mm	
SPE06-10	6mm - 10mm	
SPE08-10	8mm - 10mm	
SPE06-12	6mm - 12mm	
SPE08-12	8mm - 12mm	
SPE10-12	10mm - 12mm	
SPE12-14	12mm - 14mm	
SPE12-16	12mm - 16mm	
SPE14-16	14mm - 16mm	

PART NO.	Φ D - Φ D2	VALVE
SHVFF 06-06	6mm - 6mm	
SHVFF 08-08	8mm - 8mm	
SHVFF10-10	10mm - 10mm	
SHVFF12-12	12mm - 12mm	

PART NO.	Φ D	END STOP
SPPF04	4mm	
SPPF06	6mm	
SPPF08	8mm	
SPPF10	10mm	
SPPF12	12mm	

PU Hose Fittings

PART NO.	Φ D	REDUCED INSERT STR.
SG APGJ06-04	6mm - 4mm	
SG APGJ08-04	8mm - 4mm	
SG APGJ08-06	8mm - 6mm	
SG APGJ10-06	10mm - 6mm	
SG APGJ10-08	10mm - 8mm	
SG APGJ12-06	12mm - 6mm	
SG APGJ12-08	12mm - 8mm	
SG APGJ12-10	12mm - 10mm	

PART NO.	Φ D	INSERT ELBOW
SG APLJ04	4mm	
SG APLJ06	6mm	
SG APLJ08	8mm	
SG APLJ10	10mm	
SG APLJ12	12mm	
SG APLJ06-04	6mm - 4mm	
SG APLJ08-06	8mm - 6mm	
SG APLJ10-08	10mm - 8mm	
SG APLJ12-10	12mm - 10mm	

PART NO.	Φ D	INSERT TEE JOINT
SG APBJ04	4mm	
SG APBJ06	6mm	
SG APBJ08	8mm	
SG APBJ10	10mm	
SG APBJ12	12mm	
SG APBJ06-04	6mm - 4mm	
SG APBJ08-06	8mm - 6mm	
SG APBJ10-08	10mm - 8mm	
SG APBJ12-10	12mm - 10mm	

PART NO.	Φ D	INSERT Y-JOINT
SG APYJ04	4mm	
SG APYJ06	6mm	
SG APYJ08	8mm	
SG APYJ10	10mm	
SG APYJ12	12mm	
SG APYJ08-04	6mm - 4mm	
SG APYJ10-06	8mm - 6mm	
SG APYJ06-08	10mm - 8mm	
SG APYJ12-10	12mm - 10mm	

PART NO.	Φ D	INSERT MANIFOLD SIDE 4-PORT
SG APKJ04	4mm	
SG APKJ06	6mm	
SG APKJ08	8mm	
SG APKJ10	10mm	
SG APKJ06-04	6mm - 4mm	
SG APKJ08-04	8mm - 4mm	
SG APKJ08-06	8mm - 6mm	
SG APKJ10-06	10mm - 6mm	
SG APKJ10-08	10mm - 8mm	

PART NO.	Φ D	FLOW CONTROL MOUNT STR.
SG ASU04	4mm	
SG ASU06	6mm	
SG ASU08	8mm	
SG ASU10	10mm	
SG ASU12	12mm	

PART NO.	Φ D - T	FLOW CONTROL SWIVEL ELBOW
SG ASC04-01	4mm x 1/8"	
SG ASC04-02	4mm x 1/4"	
SG ASC06-01	6mm x 1/8"	
SG ASC06-02	6mm x 1/4"	
SG ASC06-03	6mm x 3/8"	
SG ASC06-04	6mm x 1/2"	
SG ASC08-01	8mm x 1/8"	
SG ASC08-02	8mm x 1/4"	
SG ASC08-03	8mm x 3/8"	
SG ASC08-04	8mm x 1/2"	
SG ASC10-01	10mm x 1/8"	
SG ASC10-02	10mm x 1/4"	
SG ASC10-03	10mm x 3/8"	
SG ASC10-04	10mm x 1/2"	
SG ASC12-01	12mm x 1/8"	
SG ASC12-02	12mm x 1/4"	
SG ASC12-03	12mm x 3/8"	
SG ASC12-04	12mm x 1/2"	

PART NO.	Φ D - T - T2	TEE
SG APHF04-01	4mm x 1/8" F x 1/8" M	
SG APHF04-02	4mm x 1/4" F x 1/4" M	
SG APHF06-01	6mm x 1/8" F x 1/8" M	
SG APHF06-02	6mm x 1/4" F x 1/4" M	
SG APHF06-03	6mm x 3/8" F x 3/8" M	
SG APHF06-04	6mm x 1/2" F x 1/2" M	
SG APHF08-01	8mm x 1/8" F x 1/8" M	
SG APHF08-02	8mm x 1/4" F x 1/4" M	
SG APHF08-03	8mm x 3/8" F x 3/8" M	
SG APHF08-04	8mm x 1/2" F x 1/2" M	
SG APHF10-01	10mm x 1/8" F x 1/8" M	
SG APHF10-02	10mm x 1/4" F x 1/4" M	
SG APHF10-03	10mm x 3/8" F x 3/8" M	
SG APHF10-04	10mm x 1/2" F x 1/2" M	
SG APHF12-02	12mm x 1/4" F x 1/4" M	
SG APHF12-03	12mm x 3/8" F x 3/8" M	
SG APHF12-04	12mm x 1/2" F x 1/2" M	


PART NO.	Φ D - T	SWIVEL ELBOW
SG APH04-01	4mm x 1/8"	
SG APH04-02	4mm x 1/4"	
SG APH06-02	6mm x 1/4"	
SG APH06-03	6mm x 3/8"	
SG APH06-04	6mm x 1/2"	
SG APH08-01	8mm x 1/8"	
SG APH08-02	8mm x 1/4"	
SG APH08-03	8mm x 3/8"	
SG APH08-04	8mm x 1/2"	
SG APH10-01	10mm x 1/8"	
SG APH10-02	10mm x 1/4"	
SG APH10-03	10mm x 3/8"	
SG APH10-04	10mm x 1/2"	
SG APH12-01	12mm x 1/8"	
SG APH12-02	12mm x 1/4"	
SG APH12-03	12mm x 3/8"	
SG APH12-04	12mm x 1/2"	



PU Hose Fittings

PART NO.	Φ D - T	VALVE
SG HVSF01-06	6mm x 1/8" M	
SG HVSF01-08	8mm x 1/8" M	
SG HVSF01-10	10mm x 1/8" M	
SG HVSF01-12	12mm x 1/8" M	
SG HVSF02-06	6mm x 1/4" M	
SG HVSF02-08	8mm x 1/4" M	
SG HVSF02-10	10mm x 1/4" M	
SG HVSF02-12	12mm x 1/4" M	
SG HVSF03-06	6mm x 3/8" M	
SG HVSF03-08	8mm x 3/8" M	
SG HVSF03-10	10mm x 3/8" M	
SG HVSF03-12	12mm x 3/8" M	
SG HVSF04-10	10mm x 1/2" M	
SG HVSF04-12	12mm x 1/2" M	

PART NO.	Φ D - T	MANIFOLD
SG APKD04-01	4mm x 1/8" M	
SG APKD04-02	4mm x 1/4" M	
SG APKD06-01	6mm x 1/8" M	
SG APKD06-02	6mm x 1/4" M	
SG APKD06-03	6mm x 3/8" M	
SG APKD06-04	6mm x 1/2" M	
SG APKD08-01	8mm x 1/8" M	
SG APKD08-02	8mm x 1/4" M	
SG APKD08-03	8mm x 3/8" M	
SG APKD08-04	8mm x 1/2" M	
SG APKD10-01	10mm x 1/8" M	
SG APKD10-02	10mm x 1/4" M	
SG APKD10-03	10mm x 3/8" M	
SG APKD10-04	10mm x 1/2" M	

PART NO.	T - T2	VALVE
SG HVSS01-01	1/8" M x 1/8" M	
SG HVSS02-01	1/8" M x 1/4" M	
SG HVSS02-02	1/4" M x 1/4" M	
SG HVSS03-02	3/8" M x 1/4" M	
SG HVSS03-03	3/8" M x 3/8" M	
SG HVSS04-03	3/8" M x 1/2" M	
SG HVSS04-04	1/2" M x 1/2" M	

PART NO.	Φ D - T	TEE
SG APD04-01	4mm x 1/8" M	
SG APD04-02	4mm x 1/4" M	
SG APD06-01	6mm x 1/8" M	
SG APD06-02	6mm x 1/4" M	
SG APD06-03	6mm x 3/8" M	
SG APD06-04	6mm x 1/2" M	
SG APD08-01	8mm x 1/8" M	
SG APD08-02	8mm x 1/4" M	
SG APD08-03	8mm x 3/8" M	
SG APD08-04	8mm x 1/2" M	
SG APD10-01	10mm x 1/8" M	
SG APD10-02	10mm x 1/4" M	
SG APD10-03	10mm x 3/8" M	
SG APD10-04	10mm x 1/2" M	
SG APD12-01	12mm x 1/8" M	
SG APD12-02	12mm x 1/4" M	
SG APD12-03	12mm x 3/8" M	
SG APD12-04	12mm x 1/2" M	

PU Hose Fittings / Steel

PART NO.	Φ D - T	METAL FITTING STRAIGHT F
SG MPC04-01	4mm x 1/8"	
SG MPC04-02	4mm x 1/4"	
SG MPC06-01	6mm x 1/8"	
SG MPC06-02	6mm x 1/4"	
SG MPC06-03	6mm x 3/8"	
SG MPC06-04	6mm x 1/2"	
SG MPC08-01	8mm x 1/8"	
SG MPC08-02	8mm x 1/4"	
SG MPC08-03	8mm x 3/8"	
SG MPC08-04	8mm x 1/2"	
SG MPC10-01	10mm x 1/8"	
SG MPC10-02	10mm x 1/4"	
SG MPC10-03	10mm x 3/8"	
SG MPC10-04	10mm x 1/2"	
SG MPC12-01	12mm x 1/8"	
SG MPC12-02	12mm x 1/4"	
SG MPC12-03	12mm x 3/8"	
SG MPC12-04	12mm x 1/2"	

PART NO.	Φ D	METAL FITTING STRAIGHT
SG MPUC04	4mm	
SG MPUC06	6mm	
SG MPUC08	8mm	
SG MPUC10	10mm	
SG MPUC12	12mm	

PART NO.	Φ D	METAL FITTING ELBOW
SG MPUL04	4mm	
SG MPUL06	6mm	
SG MPUL08	8mm	
SG MPUL10	10mm	
SG MPUL12	12mm	

PART NO.	Φ D - T	METAL FITTING STRAIGHT F
SG MPCF04-01	4mm x 1/8"	
SG MPCF04-02	4mm x 1/4"	
SG MPCF06-01	6mm x 1/8"	
SG MPCF06-02	6mm x 1/4"	
SG MPCF06-03	6mm x 3/8"	
SG MPCF06-04	6mm x 1/2"	
SG MPCF08-01	8mm x 1/8"	
SG MPCF08-02	8mm x 1/4"	
SG MPCF08-03	8mm x 3/8"	
SG MPCF08-04	8mm x 1/2"	
SG MPCF10-01	10mm x 1/8"	
SG MPCF10-02	10mm x 1/4"	
SG MPCF10-03	10mm x 3/8"	
SG MPCF10-04	10mm x 1/2"	
SG MPCF12-01	12mm x 1/8"	
SG MPCF12-02	12mm x 1/4"	
SG MPCF12-03	12mm x 3/8"	
SG MPCF12-04	12mm x 1/2"	

PART NO.	Φ D	METAL FITTING T-JOINT
SG MPUT04	4mm	
SG MPUT06	6mm	
SG MPUT08	8mm	
SG MPUT10	10mm	
SG MPUT12	12mm	

PU Hose Fittings / Steel

PART NO.	Φ D	METAL FITTING Y-JOINT
SG MPY04	4mm	
SG MPY06	6mm	
SG MPY08	8mm	
SG MPY10	10mm	
SG MPY12	12mm	

PART NO.	Φ D	METAL BULKHEAD STR.
SG APM04	4mm	
SG APM06	6mm	
SG APM08	8mm	
SG APM10	10mm	
SG APM12	12mm	

PART NO.	Φ D - T	METAL FITTING ELBOW M
SG MPL04-01	4mm x 1/8"	
SG MPL04-02	4mm x 1/4"	
SG MPL06-01	6mm x 1/8"	
SG MPL06-02	6mm x 1/4"	
SG MPL06-03	6mm x 3/8"	
SG MPL06-04	6mm x 1/2"	
SG MPL08-01	8mm x 1/8"	
SG MPL08-02	8mm x 1/4"	
SG MPL08-03	8mm x 3/8"	
SG MPL08-04	8mm x 1/2"	
SG MPL10-01	10mm x 1/8"	
SG MPL10-02	10mm x 1/4"	
SG MPL10-03	10mm x 3/8"	
SG MPL10-04	10mm x 1/2"	
SG MPL12-01	12mm x 1/8"	
SG MPL12-02	12mm x 1/4"	
SG MPL12-03	12mm x 3/8"	
SG MPL12-04	12mm x 1/2"	

PART NO.	Φ D - T	METAL FITTING T-JOINT M
SG MPT04-01	4mm x 1/8"	
SG MPT04-02	4mm x 1/4"	
SG MPT06-01	6mm x 1/8"	
SG MPT06-02	6mm x 1/4"	
SG MPT06-03	6mm x 3/8"	
SG MPT06-04	6mm x 1/2"	
SG MPT08-01	8mm x 1/8"	
SG MPT08-02	8mm x 1/4"	
SG MPT08-03	8mm x 3/8"	
SG MPT08-04	8mm x 1/2"	
SG MPT10-01	10mm x 1/8"	
SG MPT10-02	10mm x 1/4"	
SG MPT10-03	10mm x 3/8"	
SG MPT10-04	10mm x 1/2"	
SG MPT12-01	12mm x 1/8"	
SG MPT12-02	12mm x 1/4"	
SG MPT12-03	12mm x 3/8"	
SG MPT12-04	12mm x 1/2"	

PART NO.	Φ D - T	METAL FLOW CONTROL M
SG MSC04-01	4mm x 1/8"	
SG MSC04-02	4mm x 1/4"	
SG MSC06-01	6mm x 1/8"	
SG MSC06-02	6mm x 1/4"	
SG MSC06-03	6mm x 3/8"	
SG MSC06-04	6mm x 1/2"	
SG MSC08-01	8mm x 1/8"	
SG MSC08-02	8mm x 1/4"	
SG MSC08-03	8mm x 3/8"	
SG MSC08-04	8mm x 1/2"	
SG MSC10-01	10mm x 1/8"	
SG MSC10-02	10mm x 1/4"	
SG MSC10-03	10mm x 3/8"	
SG MSC10-04	10mm x 1/2"	
SG MSC12-01	12mm x 1/8"	
SG MSC12-02	12mm x 1/4"	
SG MSC12-03	12mm x 3/8"	
SG MSC12-04	12mm x 1/2"	

PART NO.	Φ D - T	METAL SWIVEL ELBOW
SG MPH04-01	4mm x 1/8"	
SG MPH04-02	4mm x 1/4"	
SG MPH06-01	6mm x 1/8"	
SG MPH06-02	6mm x 1/4"	
SG MPH06-03	6mm x 3/8"	
SG MPH06-04	6mm x 1/2"	
SG MPH08-01	8mm x 1/8"	
SG MPH08-02	8mm x 1/4"	
SG MPH08-03	8mm x 3/8"	
SG MPH08-04	8mm x 1/2"	
SG MPH10-01	10mm x 1/8"	
SG MPH10-02	10mm x 1/4"	
SG MPH10-03	10mm x 3/8"	
SG MPH10-04	10mm x 1/2"	
SG MPH12-01	12mm x 1/8"	
SG MPH12-02	12mm x 1/4"	
SG MPH12-03	12mm x 3/8"	
SG MPH12-04	12mm x 1/2"	



Polyurethane / Nylon Hose

PART NO.	SIZES	COLOUR
PU0425	OD 4mm x ID 2.5mm	Blue
PU0640	OD 6mm x ID 4mm	Blue
PU0640T	OD 6mm x ID 4mm	Transparent
PU0805B	OD 8mm x ID 5mm	Black
PU0805BT	OD 8mm x ID 5mm	Transparent
PU0805G	OD 8mm x ID 5mm	Green
PU0805O	OD 8mm x ID 5mm	Orange
PU0805R	OD 8mm x ID 5mm	Red
PU0805T	OD 8mm x ID 5mm	Transparent
PU0805Y	OD 8mm x ID 5mm	Yellow
PU0860	OD 8mm x ID 6mm	Blue
PU1065	OD 10mm	Blue
PU1280	OD 12mm	Blue
PU1410B	OD 14mm	Blue
PU1612B	OD 16mm	Blue



NYLON TUBE HOSES P/M (50M)

PART NO.	SIZES	COLOUR
SG AHC6	OD 6mm x ID 4mm	Black
SG AHC8	OD 8mm x ID 6mm	Black
SG AHC10	OD 10mm x ID 7mm	Black
SG AHC12	OD 12mm x ID 9mm	Black
SG AHC14	OD 14mm x ID 10mm	Black
SG AHC16	OD 16mm x ID 12mm	Black



PTFE TAPE

PART NO.	SIZES
PTFE12	12mm x 0.075mm x 10M / 1 Roll Bulk
SG PTFE12-2P	12mm x 0.075mm x 10M / 2 Rolls Pk
PTFE12-5	12mm x 0.075mm x 10M / 5 Rolls Bulk
PTFE12-300	12mm x 0.075mm x 10M / Display Box x 300
PTFE19	19mm x 0.075mm x 10M / 1 Roll Bulk
PTFE19-1	19mm x 0.1mm x 40M / 1 Roll Bulk
PTFE19-1-60	19mm x 0.1mm x 40M / Display Box x 60
PTFE19-200	19mm x 0.075mm x 10M / Display Box x 200



HOSE CLAMPS

PART NO.	SIZES	BOX OF
SG HC11-23	11 - 23mm	10
SG HC6-17	6 - 17mm	10
SG HC6-22	6 - 22mm	10



PU TUBE CUTTER

SG CUT01



DOUBLE EAR CLAMPS

PART NO.	SIZES	BOX OF
SG EC9-12	9 - 12mm	10
SG EC11-13	11 - 13mm	10
SG EC13-15	13 - 15mm	10
SG EC15-18	15 - 18mm	10
SG EC17-20	17 - 20mm	10



Hoses

PVC HOSE W/QUICK COUPLER & CONNECTOR

SG PVC0810-2 - 8mm x 10M



RUBBER AIR HOSE KIT

W/ QUICK COUPLER & CONNECTOR

RHC0810-2B - 8mm x 10M

RHC0810-2R - 8mm x 10M Red



YOHKON FLEX AIR HOSES

Hybrid Hose Design - Lays Flat In Cold Conditions

FLEX AIR HOSE ORANGE

W/ QUICK COUPLER & CONNECTOR

RHYF06KIT - 6mm x 10M

RHYF08KIT - 8mm x 10M

RHYF10KIT - 10mm x 10M



» Specially designed hose for cold temperatures, to be able to withstand up to -40°C.

» The hose is 40% lighter than rubber hose.

» The orange colour makes it more visible in the workplace.

» Inner braided reinforcing allows for air pressure up to 62 Bar (900 Psi).

» Inside diameter: 8mm or 10mm

» Outside diameter: 15mm

» Length: 100m

FLEX AIR HOSE ORANGE

RHYF06 - 6mm x 100M

RHYF08 - 8mm x 100M

RHYF10 - 10mm x 100M



SPIRAL HOSE W/ARO QUICK COUPLER

PART NO.

SIZES

SPRC0805 8mm x 5m

SPRC0815 8mm x 15m



SPIRAL HOSE W/QUICK COUPLER

PART NO.

SIZES

SPIR 3M 3m

SPIR 5M 5m

SPIR 10M 10m

SPIR 20M 20m



Made in Italy



Hose Reels

HR26230

Retractable Air Hose Reel - (Portable)

30m 8mm x 12mm Hose - Braided Automatic



SG HR22309

Auto Retractable Air Hose Reel with plastic casing

9M x 12mm OD x 8mm ID PU Hose

Maximum Working Pressure : 10Bar

Fittings : 2 x 1/4" BSP male thread

(Wall mountable)



HR22215

Auto Retractable Air Hose Reel with plastic casing

15M x 12mm OD x 8mm ID PU Hose

Maximum Working Pressure : 10Bar

Fittings : 2 x 1/4" BSP male thread

(Wall mountable)



HR22618

Auto Retractable Air Hose Reel with plastic casing

20M x 12mm OD x 8mm ID PU Hose

Maximum Working Pressure : 10Bar

Fittings : 2 x 1/4" BSP male thread

(Wall mountable)



HR1000

2-in-1 Air Hose Reel with Built-in Compressor

9.5M Auto-Retractable PU Hose

1,100W / 3,550RPM / 220V

360° Swivel

66l / min

Fitting : 1/4" Universal Quick Coupler

Plastic Wall mounting bracket

Durable Plastic Casing

2IN1
COMPRESSOR
& HOSE REEL



5mm



8 BAR



1/4\"



Filters / Regulators / Lubricants

REGULATOR IN LINE

PART NO.	SIZE
SG R180	¼"
SG R200	½"



FILTER IN LINE

PART NO.	SIZE
SG F180-1	¼"
SG F200-1	½"



LUBRICATOR IN LINE

PART NO.	SIZE
SG L180	¼"
SG L200	½"



FILTER/REGULATOR IN LINE

PART NO.	SIZE
SG FR180-1	¼"
SG FR200-1	½"

FILTER/REGULATOR/ LUBRICATOR

PART NO.	SIZE
SG FRL180-1	¼"
SG FRL200-1	½"



Filters / Regulators & Oilers w/Auto Drain

FILTER IN LINE

PART NO.	SIZE
SG F180-2	¼"
SG F200-2	½"



FILTER/REGULATOR IN LINE

PART NO.	SIZE
SG FR180-2	¼"
SG FR200-2	½"



FILTER/REGULATOR/ LUBRICATOR

PART NO.	SIZE
SG FRL180-2	¼"
SG FRL200-2	½"



PART NO.	DESCRIPTION
SG AC2000-4VP	Spare Paint Cup for SG AC2000-01VP/02VP/03VP
SG AC2000-SK01	Trigger (25/32 - 39) for SG 2AC000 series
SG AC2000-SK02	Pattern Adjustment (25 - 31) for SG AC2000 series
SG AC2000-SK03	Fluid Adjuster w/Air Cap& Needle for SG AC2000 series
SG AC2000-SK04	Air Adjustment (19 - 24) for SG AC2000 series

PROFESSIONAL

SG AC6003	Three Stage Filter Sinter / Fine / Carbon w/out gauge
SG AC6000-366	Spare Sinter Filter Insert for SG AC6003 series
SG AC6000-347	Spare Fine Filter Insert for SG AC6003 series
SG AC6000-369	Spare Carbon Filter Insert for SG AC6003 series



Auto Drain Solenoid Valve

PART NO.	SIZE
SG ADV012	½" 220V
SG ADV014	¼" 220V





Air Tools

ATO001

SPECIFICATIONS

Nailer - 32mm Brads F Nails

Working Pressure	: 4 - 7 Bar (max 8 Bar)
Nail Capacity	: 10 - 32mm
Magazine Load	: 100 Nails w/Spare
Capacity	Bumper, Driver Blade & O-ring



ATO002

SPECIFICATIONS

Nailer - 50mm T Nails

Working Pressure	: 4 - 7 Bar (max 8 Bar)
Nail Capacity	: 15 - 50mm
Air Consumption	: 5.72L/min w/Spare
	Bumper, Driver Blade & O-ring



ATO019

SPECIFICATIONS

Stapler - 12.7mm 21 Gauge Fine Wire

Working Pressure	: 3.5 - 7 Bar
Stapler Capacity	: 4 - 16mm
Magazine Capacity	: 16 Staples



18 GAUGE F-TYPE BRAD NAILS

18 GAUGE	Size	Box Qty
BRAD GEL F15	15mm	5000
BRAD GEL F20	20mm	5000
BRAD GEL F25	25mm	5000
BRAD GEL F30	30mm	5000
BRAD GEL F38	38mm	5000
BRAD GEL F50	50mm	5000

Fits ATO001 & ATO029 & most other brands of nailers supporting 18G Nails



F-type brad nails have a slim profile, making them ideal for delicate materials where a thicker nail would cause splitting.




Designed for finishing work, such as installing trim, molding, and building cabinets, where a clean, precise finish is required.

16 GAUGE T-TYPE BRAD NAILS

16 GAUGE	Size	Box Qty
BRAD GEL T25	25mm	2500
BRAD GEL T32	32mm	2500
BRAD GEL T38	38mm	2500
BRAD GEL T45	45mm	2500
BRAD GEL T50	50mm	2500

Fits ATO002 & ATO003 & most other brands of nailers supporting 16G Nails



T-type nails are thicker and have a larger head. They are more suitable for heavier-duty applications, while F-type nails are better for lighter projects and finer work.



T-type nails are suitable for more substantial projects where greater holding strength is required than a fine brad nail can provide.

21 GAUGE	Size	Box Qty
STAP001	4mm	10 000
STAP002	6mm	5000
STAP003	8mm	5000
STAP004	10mm	5000
STAP005	12mm	5000
STAP006	14mm	5000

Fits ATO019 & ATO028 & most other brands of nailers supporting 21G Staples



These 21-gauge staples with leg lengths between 4mm - 14mm are perfect for interior lightweight applications.



Used for upholstery, and DIY applications, using a staple gun (manual, electric, or pneumatic) to drive them into materials like wood, fabric, and insulation.

ATO017

SPECIFICATIONS

Mini Air Die Grinder 6mm / 1/4"

Free Speed	: 25 000 RPM
Air Consumption	: 3.5cfm/115L/min
Working Pressure	: 6.3 Bar/90psi
Sugg Min Comp	: 1.5HP



ATO007

SPECIFICATIONS

14 Pieces Die Grinder Set

Air Inlet	: 1/4" Npt
Working Pressure	: 6.3 Bar
Avg Air Consumption	: 115 L/min
Sugg. Min Compressor	: 2HP
Air Hose	: 3/8" ID
10 Pcs Grinding Stones	
6mm Collet	
In Blow Mould Case	



Air Tools



AT0003

SPECIFICATIONS

1/2" Single Hammer Impact Wrench Std

Working Pressure	: 6.3 Bar
Maximum Torque	: 310nm
Free Speed	: 7000 RPM
Avg Air Consumption	: 228 L/min
Sugg. Min Compressor	: 2HP

AT0004

SPECIFICATIONS

1/2" Twin Hammer Impact Wrench

Professional	
Maximum Torque	: 567nm
Free Speed	: 7500 RPM
Avg Air Consumption	: 291 L/min
Sugg. Min Compressor	: 3HP

AT0006

SPECIFICATIONS

17 Pcs Impact Wrench Set (with AT0003 - 1/2")

Air Inlet	: 1/4" Npt
Free Speed	: 7000 RPM
Working Pressure	: 6.3 Bar
Avg Air Consumption	: 228 L/min
Capacity Bolt Size	: 5/8" (16mm)
Air Hose	: 3/8 ID
10 Pcs Impact Sockets	
Sizes; 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm	
125mm Extension In Blow Mould Case	



AT0027

SPECIFICATIONS

AIR DIE-GRINDER 3"

Air Consump	: 4.5 Scfm
Working Press	: 6.3 Bar/90psi
Free Speed	: 20,000 RPM
Capacity	: 3 In (76 mm)

AT0025

SPECIFICATIONS

Air Angle Grinder 180mm

Free Speed	: 8400 RPM
Spindle Thread	: M12
Air Consump	: 34 L/s. Kw
Working Press	: 6.3 Bar/90psi
Weight	: 3 Kg
Thread Size	: 12 x 1.25 Female

AT0013

SPECIFICATIONS

125mm Air Angle Grinder - Proline

Free Speed	: 10000 RPM
Avg Air Consumption	: 5 Cfm
Working Press	: 6.3 Bar/90psi
Sugg. Min Compressor	: 2 HP
Thread Size	: 10 x 1.5 Male

Air Tools

AT0015

SPECIFICATIONS

Air Ratchet Wrench 3/8"

Square Drive	:	3/8"
Bolt Size Capacity	:	3/8" / 10mm
Maximum Torque	:	69 Nm / 50 Ft-lb
Free Speed	:	160 RPM
Avg Air Consump	:	0.11m ³ /min / 4cfm
Working Press	:	6.3 Bar/90psi
Sugg. Min Compressor	:	1.5hp



AT0016

SPECIFICATIONS

Air Ratchet Wrench 1/2"

Square Drive	:	1/2"
Bolt Size Capacity	:	1/2" / 13mm
Maximum Torque	:	69 Nm / 50 Ft-lb
Free Speed	:	160 RPM
Avg Air Consump	:	0.11m ³ /min / 4cfm
Sugg. Min Compressor	:	1.5hp



AT0015 & AT0016

- Steel angle head
- Light aluminium body
- Ergonomic grip
- For removing/replacing radiators, spark plugs, air conditioning, water pumps
- Compact and powerful for running small bolts in tight places
- Single ratchet paw
- Middle exhaust

AT0022

SPECIFICATIONS

Air Tyre Buffer

Free Speed	:	2 500 RPM
Air Consump	:	4.5cfm
Working Press	:	6.3 Bar/90psi
Buffing Wheel	:	2-1/2" (65mm)

Spares - AT0022-01 : Spare Buffing Wheel



AT0023

SPECIFICATIONS

Air Tyre Buffer

Free Speed	:	4 000 RPM
Air Consump	:	4.5cfm
Working Press	:	6.3 Bar/90psi
Buffing Wheel	:	2-1/2" (65mm)



AT0024

SPECIFICATIONS

AIR NEEDLE SCALER

Air Consump	:	4 Scfm
Working Press	:	6.3 Bar/90psi
Blow Per Minute	:	2,800 Bpm
Stroke Length	:	0.94 In/24mm
Replacement Needles:		
AT0024-SK02	:	12 Pcs



- 10000 strokes per minute for fast & smooth cutting.
- Excellent for body shop repair, muffler exhaust work and sun roof installation.
- MPS Jigsaw Blades compatible with the AT0021 Air Body Saw as follows; MPS3740 - 32 tpi, MPS3742- 24 tpi, MPS3744- 18 tpi

AT0021

SPECIFICATIONS

Air Body Saw

Cutting Capacity	:	16mm Steel
	:	2mm Aluminium
Strokes/min	:	10 000 Spm
Air Consump	:	6.0 Cfm
Working Press	:	6.3 Bar/90psi
Sugg Min Comp	:	1.5hp

Spares - AT0021-01 : 2 Pce Blade Set (18t & 24t)


Air Tools

AT0009

SPECIFICATIONS

Air Orbital Sander - Jitterbug

Free Speed	: 8000 RPM
Air Consumption	: 6cfm
Working Pressure	: 6.3 Bar/90psi
Air Inlet	: 1/4" Npt



AT0011

SPECIFICATIONS

Orbital Sander 150mm W/dust Extraction

Free Speed	: 10 000 RPM
Air Consumption	: 15cfm
Working Pressure	: 6.3 Bar/90psi
Spindle Thread	: 5/16" - 24 Fem
Exhaust	: Central Vacuum

Recommended Replacement Pad & Accessories

FLEX32315	: Sanding Pad Hook & Loop 5/16" UNF
SPC00110	: Sander Pad Hook & Loop 5/16" UNF
AT0014-SK08	: Sander Pad Hook & Loop 5/16" UNF
AT0011-38	: Dust Extraction Hose
AT0011-39	: Dust Collecting Bag



AT0010

SPECIFICATIONS

Air Dual Action Sander 6" / 150mm

6 Hole Vacuum Sanding Pad (No Holes)

Free Speed	: 10 000 RPM
Air Consumption	: 4cfm/115 L/min
Working Pressure	: 6.3 Bar/90psi
Spindle Thread	: 5/16" - 24 Fem
Exhaust	: Non Vacuum

Recommended Replacement Pad

FLEX 32315	: Super Pad Hook & Loop 5/16" UNF
SPC00110	: Sanding Pad Hook & Loop 5/16" UNF
AT0010-SK11	: Sander Pad Hook & Loop 5/16" UNF



PROFESSIONAL

AT0026

SPECIFICATIONS

Orbital Palm Sander

Free Speed	: 10,000 RPM
Air Consumption	: 4.5 Scfm
Working Pressure	: 6.3 Bar/90psi
Weight	: 1.11 Kg

Recommended Replacement Pad

FLEX32315	: Sanding Pad Hook & Loop 5/16" UNF
SPC00110	: Sander Pad Hook & Loop 5/16" UNF
AT0026-25	: Sander Pad Hook & Loop 5/16" UNF



AT0020

SPECIFICATIONS

Air Angle Sander 2" (50mm)

50mm with Velcro Backing Pad

Free Speed	: 15 000 RPM
Air Consumption	: 3.5cfm/115l/min
Working Pressure	: 6.3 Bar/90psi

Replacement Pad

AT0020-01A

Sanding Discs

AT0020-08	: 60G Hook & Loop 10 Pk
AT0020-09	: 120G Hook & Loop 10 Pk
AT0020-10	: 180G Hook & Loop 10 Pk
AT0020-11	: 240G Hook & Loop 10 Pk



AT0014

SPECIFICATIONS

150mm Palm Orbital Sander

Free Speed	: 10 000 RPM
Air Consumption	: 15cfm
Working Pressure	: 6.3 Bar/90psi
Spindle Thread	: 5/16" - 24 Female

Recommended Replacement Pad

FLEX32315	: Sanding Pad Hook & Loop 5/16" UNF
SPC00110	: Sander Pad Hook & Loop 5/16" UNF
AT0014-SK08	: Sander Pad Hook & Loop 5/16" UNF



Air Tools

AT0005

SPECIFICATIONS

Reversible Air Drill 3/8" / 10mm

Working Pressure	: 6.3 Bar
Free Speed	: 1800 RPM
Avg Air Consumption	: 106 L/min
Sugg. Min Compressor	: 2HP

Replacement Chuck:

AT0005-SK02 10mm Chuck & Key



AT0012

SPECIFICATIONS

1/2" Air Drill

Free Speed:	400 RPM
Avg Air Consump:	170 L/min/6 Cfm
Working Press:	6.3 Bar/90psi
Sugg. Min Compressor:	2HP

Exhaust : Handle

Replacement Chuck:

AT0012-33 1/2" Chuck



AT0018

SPECIFICATIONS

1/2" Air Hydraulic Riveter Professional

Traction Power	: 850 Kg.f / 1.870 Lbs
Stroke Length	: 9/16 - 14mm Max
Working Press	: 6.3 Bar/90psi
Avg Air Consumption:	0.03 Cfm
Air Hose	: 5 x 8mm

Riveting Capacity:

- Stainless Steel : 3/32" - 1/8" (2.4 - 3.2mm)
- Aluminium & Iron : 3/32" - 3/16" (2.4 - 4.8mm)



LUBRICANT

AT OIL

General Purpose Pneumatic Tool Lubricant 250ml

Specifications:

Oil Type : Normal lubricating oil
Viscosity : 40°C , mm²/s ≥ 2.5
Temperatures : -7°C / 128°C
For all air tools such as Air impact and ratchet wrenches, Air drills, Air hammers



Compounding Sponges / Wool Buff / Fibre Cloths / Interface Pads

COMPOUNDING SPONGES

PART NO.	DESCRIPTION / SIZE
SG CS15014	Compounding Sponge 150mm x M14 Standard Orange
SG CS15014-1	Compounding Sponge 150mm x M14 Premium White
SG CS15014-5	Compounding Sponge 150mm x M14 Black Waffle SOFT
SG CS15058	Compounding Sponge 150mm x 5/8" White

WOOL BUFFS

PART NO.	DESCRIPTION / SIZE
SG MM DS7	7"/180mm Double-sided Wool Buff with M14 F Thread 100% Wool
SG MM DS7-2	7"/180mm 180mm Double-sided Wool Buff with 5/8" Thread 100%
SG MM DS9	9" 230mm Double-sided Wool Buff with M14 Thread 100%
SG MM DS9-2	9" 230mm Double-sided Wool Buff with 5/8" Thread 100%

FIBRE CLOTHS

PART NO.	DESCRIPTION / SIZE
SG SPC00101	Microfibre Cloth Blue 3 Pce 300 x 300mm / 250gsm
SG SPC00102	Microfibre Cloth General Purpose 400 x 400mm / 350gsm
SG SPC00103	Microfibre Cloth Fleece Dry Towel Grey 500 x 500mm / 1,000gsm
SG SPC00104	Microfibre Cloth Dry Towel Grey 500 x 700mm / 1,100gsm
SG SPC00105	Microfibre Cloth Double-sided Blue 400 x 400mm / 250 - 280gsm
SG SPC00106	Microfibre Cloth Blue Polishing/Glass 400 x 400mm / 280gsm
SG SPC00107	6" DA Sander Pad 6 holes 5/16 - 24 UNF : Hook & Loop
SG SPC00108	Microfibre Cloth Fleece Dry Towel 2 Pce Blue 400 x 600mm / 280gsm
SG SPC00109	Microfibre Cloth Fleece Dry Towel Blue 400 x 600mm / 280gsm
SG SPC00110	6" DA Sander Pad Hook & Loop 5/16 - 24 UNF Medium Soft No Holes
SG SPC00111	Microfibre Cloth Disposable Blue 250 x 250mm / 200gsm 20 Pce T/Box
SG SPC00120	125mm x M14 Hook & Loop Backing Pad w/8mm Spindle
SG SPC00129	150mm Interface Cushion Pad Hook & Loop No holes
SG SPC00130	150mm Interface Cushion Pad Hook & Loop 6 Holes
SG SPC00300	Chamois PVA Drying Cloth 430 x 320mm in Plastic Tube



NITRILE GLOVES

PART NO.	DESCRIPTION / SIZE
SG GL0010	Nitrile Glove L/Duty Medium Black 100 Pce Box
SG GL0011	Nitrile Glove L/Duty Large Black 100 Pce Box
SG GL0012	Nitrile Glove L/Duty X-Large Black 100 Pce Box



Display Concepts / Solutions



MERO78 Metal Counter Top Display 21 Slots



MERO17
Cabinet with Double Drawers
Blue
EMPTY

←
MERO11
Display Stand
Small
1,250 x 1,000mm
Blue
**STOCK
NOT
INCLUDED**



MERO03
Flat Stand
1,000 x 350 x 2,200mm
Grey - **STOCK NOT INCLUDED**

The Air is out
Full range of

Couplers

Inserts

**Reducer/Bushes/
Nipples/Sockets**

**Compressor
accessories**

Spray Guns

Display Concepts / Solutions

FREESTANDING CONCEPTS



STAND58
Metal
Floor Standing
Spray Gun
& Accessory
Display Stand



STAND60
Counter Level
PU Column
Display Stand
without feet



STAND61
Counter Level Top
Display Stand for
Spray Guns & Air Tools



STAND51
Counter Level
Floor Stand
for IOM Hose Kits
(Holds 33 kits)



STAND55
Floor Standing
Rubber Hose Holder
Single Unit
Holds
RH06/RH08/
RH10/RH13



STAND63
Counter
Display Holder
for Spray Guns
& Air Tools




STAND73
Clear Flat Tub
with Fold Lid
192 x 122 x 58mm
for STAND52



Display Concepts / Solutions

CONCEPTS MOUNTED TO MER003



STAND56
Level Display
for MER003 for
Spray Guns &
Air Tools

NOTE: BOOK OUT COUPLERS (SG 3000)



STAND46
Air Tool &
Spray Gun Cradle
for MER003
incl. screws

NOTE: BOOK OUT COUPLERS (SG 3000)



STAND52
Metal Clip-in
Fitting Holders
c/w 35 Tubs
for MER003

Tub Stickers
MER STICK700
AirCRAFT Tub Sticker Booklet



STAND50
Metal Holder
for IOM Hose Kits
(holds 5 Kits)




STAND53
Clip-in PU Hose
Reel Holder
for MER003



STAND54
Metal Single
PU Hose Holder L/R
for MER003



STAND81
Rubber Hose (IOM) Holder
for MER003



STAND82
Cross Bar for
Rubber Hose
(IOM) Holder
for MER003



STAND78
Double PU Hose Holder L/R
for Display Cabinet

Magnetic Info Cards

PART NO.	DESCRIPTION
MER MAG001	SG H827 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG002	SG H887 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG003	SG H887 MINI Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG004	SG H2000 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG005	SG MP200 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG006	SG MP866 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG007	SG AS1001A Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG008	SG AB17G Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG009	SG PQ2 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG010	SG472A Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG011	SG4001 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG012	LM3000M Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG013	SG WG01 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG014	SG PP882AG Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG015	AT0001 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG016	AT0002 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG017	AT0003 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG018	AT0004 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG019	AT0005 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG020	AT0006 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG021	AT0007 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG022	AT0008 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG023	AT0009 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG024	AT0010 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG025	AT0011 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG026	AT0012 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG027	AT0013 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG028	AT0014 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG029	AT0015 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG030	AT0016 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG031	AT0017 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG032	AT0018 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG033	AT0019 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG034	AT0020 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG035	AT0021 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG036	AT0022 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG037	AT0023 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG038	AT0024 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG039	AT0025 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG040	At0026 Magnetic Sales Aid Info Card 150mm x 100mm
MER MAG041	AT0027 Magnetic Sales Aid Info Card 150mm x 100mm



