



# BRITO

Impact Socket  
Catalogue



# BRITO

# CONTENTS




PAGE 4



PAGE 8



PAGE 12



PAGE 15



# 1/2" DRIVE IMPACT SOCKETS



1/2"

**BRITO** Impact Sockets are made from the best grade chrome vanadium steel. They are hardened and heat treated to ensure no warping or brittleness. They are extremely accurately made with very close tolerances. Ideal for use in Industrial markets on impact tools and high usage areas.

**BRITO** 1/2" drive impact sockets are available in standard length and long socket, 6 point (HEX) or 12 point (Bi-hex).







## STANDARD SOCKET

## 6 POINT

| METRIC (MM) | CODE    | IMPERIAL (INCHES) | CODE    |
|-------------|---------|-------------------|---------|
| 10          | BRI3010 | 3/8"              | BRI3110 |
| 11          | BRI3011 | 7/16"             | BRI3111 |
| 12          | BRI3012 | 1/2"              | BRI3113 |
| 13          | BRI3013 | 9/16"             | BRI3114 |
| 14          | BRI3014 | 5/8"              | BRI3116 |
| 15          | BRI3015 | 11/16"            |         |
| 16          | BRI3016 | 3/4"              | BRI3119 |
| 17          | BRI3017 | 25/32"            |         |
| 18          | BRI3018 | 13/16"            |         |
| 19          | BRI3019 | 7/8"              | BRI3122 |
| 20          | BRI3020 | 15/16"            |         |
| 21          | BRI3021 | 1"                | BRI3125 |
| 22          | BRI3022 | 1.1/16"           | BRI3127 |
| 23          | BRI3023 | 1.1/8             | BRI3129 |
| 24          | BRI3024 | 1.1/4"            | BRI3132 |
| 25          | BRI3025 |                   |         |
| 26          | BRI3026 |                   |         |
| 27          | BRI3027 |                   |         |
| 28          | BRI3028 |                   |         |
| 29          | BRI3029 |                   |         |
| 30          | BRI3030 |                   |         |
| 32          | BRI3032 |                   |         |

**Please note**

Impact sockets available in 12 Point (Bi-hex) on request.



### LONG SOCKET

#### 6 POINT

| METRIC (MM) | CODE    |
|-------------|---------|
| 10          | BRI7010 |
| 11          | BRI7011 |
| 12          | BRI7012 |
| 13          | BRI7013 |
| 14          | BRI7014 |
| 15          | BRI7015 |
| 16          | BRI7016 |
| 17          | BRI7017 |
| 18          | BRI7018 |
| 19          | BRI7019 |
| 20          | BRI7020 |
| 21          | BRI7021 |
| 22          | BRI7022 |
| 23          | BRI7023 |
| 24          | BRI7024 |
| 25          | BRI7025 |
| 26          | BRI7026 |
| 27          | BRI7027 |
| 28          | BRI7028 |
| 29          | BRI7029 |
| 30          | BRI7030 |
| 32          | BRI7032 |

#### Please note

Impact sockets available in 12 Point (Bi-hex) on request.





IMPACT ALLEN

| METRIC (MM) | CODE    |
|-------------|---------|
| 6MM         | BRI9306 |
| 7MM         | BRI9307 |
| 8MM         | BRI9308 |
| 10MM        | BRI9310 |
| 12MM        | BRI9312 |
| 14MM        | BRI9314 |
| 17MM        | BRI9317 |
| 19MM        | BRI9319 |
| 22MM        | BRI9322 |
| 24MM        | BRI9324 |

# 3/4" DRIVE IMPACT SOCKETS

# 3/4"

**BRITO** Impact Sockets are made from the best grade chrome vanadium steel. They are hardened and heat treated to ensure no warping or brittleness. They are extremely accurately made with very close tolerances. Ideal for use in Industrial markets on impact tools and high usage areas.

**BRITO** 3/4" drive impact sockets are available in standard length and long socket, 6 point (HEX) or 12 point (BiHex).







## STANDARD SOCKET

## 6 POINT

| METRIC (MM) | CODE    | METRIC (MM) | CODE    |
|-------------|---------|-------------|---------|
| 17          | BRI5017 | 41          | BRI5041 |
| 18          | BRI5018 | 42          | BRI5042 |
| 19          | BRI5019 | 44          | BRI5044 |
| 20          | BRI5020 | 46          | BRI5046 |
| 21          | BRI5021 | 47          | BRI5047 |
| 22          | BRI5022 | 48          | BRI5048 |
| 23          | BRI5023 | 50          | BRI5050 |
| 24          | BRI5024 | 52          | BRI5052 |
| 25          | BRI5025 | 53          | BRI5053 |
| 26          | BRI5026 | 54          | BRI5054 |
| 27          | BRI5027 | 55          | BRI5055 |
| 28          | BRI5028 | 56          | BRI5056 |
| 29          | BRI5029 | 60          | BRI5060 |
| 30          | BRI5030 | 65          | BRI5065 |
| 31          | BRI5031 | 70          | BRI5070 |
| 32          | BRI5032 | 75          | BRI5075 |
| 33          | BRI5033 | 80          | BRI5080 |
| 34          | BRI5034 | 85          | BRI5085 |
| 35          | BRI5035 | 90          | BRI5090 |
| 36          | BRI5036 | 95          | BRI5095 |
| 37          | BRI5037 | 100         | BRI5100 |
| 38          | BRI5038 |             |         |
| 40          | BRI5040 |             |         |

**Please note**

Impact sockets available in Standard 12 Point (Bi-hex) on request.



## LONG SOCKET

## 6 POINT

| METRIC (MM) | CODE    | METRIC (MM) | CODE    |
|-------------|---------|-------------|---------|
| 17          | BRI8017 | 41          | BRI8041 |
| 18          | BRI8018 | 42          | BRI8042 |
| 19          | BRI8019 | 44          | BRI8044 |
| 20          | BRI8020 | 46          | BRI8046 |
| 21          | BRI8021 | 47          | BRI8047 |
| 22          | BRI8022 | 48          | BRI8048 |
| 23          | BRI8023 | 50          | BRI8050 |
| 24          | BRI8024 | 52          | BRI8052 |
| 25          | BRI8025 | 53          | BRI8053 |
| 26          | BRI8026 | 54          | BRI8054 |
| 27          | BRI8027 | 55          | BRI8055 |
| 28          | BRI8028 | 56          | BRI8056 |
| 29          | BRI8029 | 60          | BRI8060 |
| 30          | BRI8030 | 65          | BRI8065 |
| 31          | BRI8031 | 70          | BRI8070 |
| 32          | BRI8032 | 75          | BRI8075 |
| 33          | BRI8033 | 80          | BRI8080 |
| 34          | BRI8034 | 85          | BRI8085 |
| 35          | BRI8035 | 90          | BRI8090 |
| 36          | BRI8036 | 95          | BRI8095 |
| 37          | BRI8037 | 100         | BRI8100 |
| 38          | BRI8038 |             |         |
| 40          | BRI8040 |             |         |


**Please note**

Impact sockets available in Long 12 Point (Bi-hex) on request.

Impact sockets available in Long 6 Point (Hex) on request.

Square drive impact wheel nut sockets available on request.





| IMPACT ALLEN |         |
|--------------|---------|
| METRIC (MM)  | CODE    |
| 14MM         | BRI9414 |
| 17MM         | BRI9417 |
| 19MM         | BRI9419 |
| 22MM         | BRI9422 |
| 24MM         | BRI9424 |

# 1" DRIVE IMPACT SOCKETS

1"

**BRITO** Impact Sockets are made from the best grade chrome vanadium steel. They are hardened and heat treated to ensure no warping or brittleness. They are extremely accurately made with very close tolerances. Ideal for use in Industrial markets on impact tools and high usage areas.

**BRITO** 1" drive impact sockets are available in standard length and long socket, 6 point (HEX) or 12 point (BiHex).







## STANDARD SOCKET

## 6 POINT

| METRIC (MM) | CODE    | METRIC (MM) | CODE    |
|-------------|---------|-------------|---------|
| 19          | BRI6019 | 44          | BRI6044 |
| 20          | BRI6020 | 45          | BRI6045 |
| 21          | BRI6021 | 46          | BRI6046 |
| 22          | BRI6022 | 47          | BRI6047 |
| 23          | BRI6023 | 48          | BRI6048 |
| 24          | BRI6024 | 50          | BRI6050 |
| 25          | BRI6025 | 52          | BRI6052 |
| 26          | BRI6026 | 54          | BRI6054 |
| 27          | BRI6027 | 55          | BRI6055 |
| 28          | BRI6028 | 56          | BRI6056 |
| 29          | BRI6029 | 58          | BRI6058 |
| 30          | BRI6030 | 60          | BRI6060 |
| 31          | BRI6031 | 65          | BRI6065 |
| 32          | BRI6032 | 70          | BRI6070 |
| 33          | BRI6033 | 75          | BRI6075 |
| 34          | BRI6034 | 80          | BRI6080 |
| 35          | BRI6035 | 85          | BRI6085 |
| 36          | BRI6036 | 90          | BRI6090 |
| 37          | BRI6037 | 95          | BRI6095 |
| 38          | BRI6038 | 100         | BRI6100 |
| 39          | BRI6039 | 105         | BRI6105 |
| 40          | BRI6040 | 110         | BRI6110 |
| 41          | BRI6041 | 115         | BRI6115 |
| 42          | BRI6042 |             |         |

**Please note**

Impact sockets available in Standard 12 Point (Bi-hex) on request.



## LONG SOCKET

## 6 POINT

| METRIC (MM) | CODE    | METRIC (MM) | CODE    |
|-------------|---------|-------------|---------|
| 20          | BRI9020 | 44          | BRI9044 |
| 21          | BRI9021 | 45          | BRI9045 |
| 22          | BRI9022 | 46          | BRI9046 |
| 23          | BRI9023 | 47          | BRI9047 |
| 24          | BRI9024 | 48          | BRI9048 |
| 25          | BRI9025 | 50          | BRI9050 |
| 26          | BRI9026 | 52          | BRI9052 |
| 27          | BRI9027 | 54          | BRI9054 |
| 28          | BRI9028 | 55          | BRI9055 |
| 29          | BRI9029 | 56          | BRI9056 |
| 30          | BRI9030 | 58          | BRI9058 |
| 31          | BRI9031 | 60          | BRI9060 |
| 32          | BRI9032 | 65          | BRI9065 |
| 33          | BRI9033 | 70          | BRI9070 |
| 34          | BRI9034 | 75          | BRI9075 |
| 35          | BRI9035 | 80          | BRI9080 |
| 36          | BRI9036 | 85          | BRI9085 |
| 37          | BRI9037 | 90          | BRI9090 |
| 38          | BRI9038 | 95          | BRI9095 |
| 39          | BRI9039 | 100         | BRI9100 |
| 40          | BRI9040 | 105         | BRI9105 |
| 41          | BRI9041 | 110         | BRI9110 |
| 42          | BRI9042 | 115         | BRI9115 |

**Please note**

Impact sockets available in Long 12 Point (Bi-hex) on request.

Impact sockets available in Long 200mm 6 Point (Hex) on request.

Square drive impact wheel nut sockets available on request.



# 1.1/2" DRIVE IMPACT SOCKETS


1.1/  
2

**BRITO** Impact Sockets are made from the best grade chrome vanadium steel. They are hardened and heat treated to ensure no warping or brittleness. They are extremely accurately made with very close tolerances. Ideal for use in Industrial markets on impact tools and high usage areas.

**BRITO** 1.1/2" drive impact sockets are available in standard length and long socket, 6 point (HEX) or 12 point (BiHex).







## STANDARD SOCKET


## 6 POINT

| METRIC (MM) | CODE    |
|-------------|---------|
| 32MM        | BRI6332 |
| 35MM        | BRI6335 |
| 36MM        | BRI6336 |
| 38MM        | BRI6338 |
| 41MM        | BRI6341 |
| 42MM        | BRI6342 |
| 46MM        | BRI6346 |
| 48MM        | BRI6348 |
| 50MM        | BRI6350 |
| 52MM        | BRI6352 |
| 54MM        | BRI6354 |
| 55MM        | BRI6355 |
| 56MM        | BRI6356 |
| 58MM        | BRI6358 |
| 60MM        | BRI6360 |
| 65MM        | BRI6365 |
| 70MM        | BRI6370 |
| 75MM        | BRI6375 |
| 80MM        | BRI6380 |
| 85MM        | BRI6385 |
| 90MM        | BRI6390 |
| 95MM        | BRI6395 |

**Please note**

Impact sockets available in Standard 12 Point (Bi-hex) on request.





## LONG SOCKET

## 6 POINT

| METRIC (MM) | CODE    | METRIC (MM) | CODE    |
|-------------|---------|-------------|---------|
| 41MM        | BRI9023 | 95MM        | BRI9040 |
| 48MM        | BRI9026 | 100MM       | BRI9041 |
| 50MM        | BRI9027 | 105MM       | BRI9042 |
| 52MM        | BRI9028 | 110MM       | BRI9044 |
| 54MM        | BRI9029 | 115MM       | BRI9045 |
| 55MM        | BRI9030 | 120MM       | BRI9046 |
| 56MM        | BRI9031 | 125MM       | BRI9047 |
| 58MM        | BRI9032 | 130MM       | BRI9048 |
| 60MM        | BRI9033 | 135MM       | BRI9050 |
| 65MM        | BRI9034 | 140MM       | BRI9052 |
| 70MM        | BRI9035 | 145MM       | BRI9054 |
| 75MM        | BRI9036 | 150MM       | BRI9055 |
| 80MM        | BRI9037 | 155MM       | BRI9056 |
| 85MM        | BRI9038 | 160MM       | BRI9058 |
| 90MM        | BRI9039 | 165MM       | BRI9060 |

**Please note**

Impact sockets available in Long 12 Point (Bi-hex) on request.

Impact sockets available in Long 200mm 6 Point (Hex) on request.

Square drive impact wheel nut sockets available on request.

Impact sockets available in Long 6 Point (Hex) on request.

## NOTES

[illegible]





# BRITO

