



AIR TECHNOLOGY



AIR PNEUMATIC COMPONENTS

SINCE 1974

PROFESSIONAL SPRAY GUNS / AIR DUSTERS SANDBLASTING GUNS / INFLATING KIT

Page: 1 - 6



WASHING GUNS / TYRE INFLATING

Page: 7



SPRAY GUN KITS / NON-RETURN VALVE REGULATORS

Page: 8



FILTER REGULATORS AND OILERS / DRAIN COCKS

Page: 8 - 9



PIPE FITTINGS - VARIOUS AND HOSE CONNECTORS

Page: 10 - 11




QUICK BALL TAPS - QUICK COUPLERS - VARIOUS PIPE FITTINGS

Page: 12 - 15



HIGH PRESSURE HOSES

Page: 16



DISPLAY STANDS

Page: 16 - 17

PROFESSIONAL SPRAY GUNS

Suitable for all types of Paint, Home and Easy to use.



GAV REC2000

High Pressure Spray Gun suction feed cup with 1.5mm Nozzle.

TECHNICAL DATA

Tank Capacity	1000ml
Provided with air flow adjustment	
Max. Operating Pressure	4 to 8 bars
Air Consumption	150 to 250 l/min

GAV900F

Filter for
Lower Cup



GAV REC-28

Gasket for lower Cup
REC2000



GAV2000R

Spare nozzle kit for
Record models
1.5, 1.8, 2.0, 2.2, 2.5mm



GAV REC2200

High Pressure Spray Gun with gravity flow cup with 1.5mm Nozzle.

TECHNICAL DATA

Tank Capacity	600ml
Provided with air flow adjustment	
Max. Operating Pressure	4 to 8 bars
Air Consumption	150 to 250 l/m


GAV800F

Filter for
Upper Cups



GAV2000R

Spare nozzle kit for
Record models
1.5, 1.8, 2.0, 2.2, 2.5mm



GAV2000ECO

High Pressure Spray Gun suction feed cup with 1.5mm Nozzle.

TECHNICAL DATA

Tank Capacity	1000ml
Provided with air flow adjustment	
Max. Operating Pressure	4 to 8 bars
Air Consumption	150 to 250 l/m


GAV900F

Filter for
Lower Cup



GAV1600R

Spare nozzle kit for
Record models
1.2, 1.5, 1.8, 2.0mm



GAV2200ECO

High Pressure Spray Gun gravity feed cup with 1.5mm Nozzle.

TECHNICAL DATA

Tank Capacity	600ml
Provided with air flow adjustment	
Max. Operating Pressure	4 to 8 bars
Air Consumption	150 to 250 l/m

GAV800F

Filter for
Upper Cups



GAV1600R

Spare nozzle kit for
Record models
1.2, 1.5, 1.8, 2.0mm



PROFESSIONAL SPRAY GUNS

Suitable for all types of Paint, Home and Easy to use.



GAV162DS

High Pressure Spray Gun suction feed cup with 1.5mm Nozzle.



GAV1500R Spare nozzle kits

GAV1500R-1	1.2mm nozzle
GAV1500R-2	1.5mm nozzle
GAV1500R-3	1.8mm nozzle
GAV1500R-4	2.0mm nozzle
GAV1500R-5	2.2mm nozzle
GAV1500R-6	2.5mm nozzle



TECHNICAL DATA

Tank Capacity	1000ml
Max. Operating Pressure	4 to 8 bars
Air Consumption	100 to 200 l/min

GAV900F

Filter for 162B/C/DS
Lower Cup



GAV162DS-28

Gasket for Cup

GAV162DS-32

Spare Cup

GAV162B

High Pressure Spray Gun suction feed cup with 1.5mm Nozzle.



GAV1500R Spare nozzle kits

GAV1500R-1	1.2mm nozzle
GAV1500R-2	1.5mm nozzle
GAV1500R-3	1.8mm nozzle
GAV1500R-4	2.0mm nozzle
GAV1500R-5	2.2mm nozzle
GAV1500R-6	2.5mm nozzle



TECHNICAL DATA

Tank Capacity	1000ml
Max. Operating Pressure	4 to 8 bars
Air Consumption	100 to 200 l/min

GAV900F

Filter for 162B/C/DS
Lower Cup



GAV162B-28

Spare Cup

GAV162-4

Perforated
Baffle Plate




GAV162C

High Pressure Spray Gun suction feed with aluminium body with 1.5mm Nozzle.



GAV1500R Spare nozzle kits

GAV1500R-1	1.2mm nozzle
GAV1500R-2	1.5mm nozzle
GAV1500R-3	1.8mm nozzle
GAV1500R-4	2.0mm nozzle
GAV1500R-5	2.2mm nozzle
GAV1500R-6	2.5mm nozzle



TECHNICAL DATA

Tank Capacity	1000ml
Max. Operating Pressure	4 to 8 bars
Air Consumption	100 to 200 l/m
Aluminium cover	

GAV900F

Filter for 162B/C/DS
Lower Cup



GAV162A

High Pressure Gravity Spray gun with 1.5mm Nozzle.



GAV1500R Spare nozzle kits

GAV1500R-1	1.2mm nozzle
GAV1500R-2	1.5mm nozzle
GAV1500R-3	1.8mm nozzle
GAV1500R-4	2.0mm nozzle
GAV1500R-5	2.2mm nozzle
GAV1500R-6	2.5mm nozzle



TECHNICAL DATA

Tank Capacity	500-1000ml
Max. Operating Pressure	4 to 8 bars
Air Consumption	100 to 200 l/min

GAV800F

Filter for 162A and
Upper Cups



GAV162A-25AL

Spare Aluminium Cup

GAV162-4

Perforated Baffle Plate

GAV162A-25-26

Spare Cup



PROFESSIONAL SPRAY GUNS

Suitable for all types of Paint, Home and Easy to use.



GAV HVLP

HVLP Spray Gun with gravity flow cup with 1.5mm Nozzle.

TECHNICAL DATA

Tank Capacity	600ml
Provided with air flow adjustment	
Max. Operating Pressure	2 to 4 bars
Air Consumption	350 to 450 l/min

GAV800F

Filter for
Upper Cups



Spare nozzle kit


GAV HVLP R 1.5 Nozzle kit for HVLP guns 1.5mm

GAV HVLP R 2.0 Nozzle kit for HVLP guns 2.0mm



GAV RECORD S

HVLP Spray Gun for paint pots with 1.5mm Nozzle.



Paint pot shown
here is an
illustration only
Not included with
the Spray Gun



Spare nozzle kit

GAV HVLP R 1.5 Nozzle kit for HVLP guns 1.5mm

GAV HVLP R 2.0 Nozzle kit for HVLP guns 2.0mm



TOUCH-UP GUNS

GAV SUPER PRO

Touch-up Spray Gun with fan head with 0.7mm Nozzle.

TECHNICAL DATA

Tank Capacity	100ml
Max. Operating Pressure	3 bars
Air Consumption	50 to 100 l/m
Revolving coupling	



GAV1200R-1

Spare nozzle kit
0.5mm



GAV PRO PAINT

Touch-up Spray Gun
for small surfaces with 0.7mm Nozzle

TECHNICAL DATA

Tank Capacity	100ml
Max. Operating Pressure	3 bars
Air Consumption	50 to 100 l/m
Revolving coupling	



Spare nozzle kit

GAV1000R-1 0.5mm Pro Paint

GAV1000R-2 0.7mm Pro Paint

GAV1000R-3 1.0mm Pro Paint

GAV PRO P-11 Spare Cup Pro Paint



PROFESSIONAL SPRAY GUNS

especially suitable for bodywork



GAV Z3000


HVLP (High Volume Low Pressure) Professional Spray gun
Gravity feed with 1.4mm Nozzle

TECHNICAL DATA

Tank Capacity	600ml
Provided with air flow adjustment	
Max. Operating Pressure	3 bar - 42 PSI
Air Consumption	400 l/min 3 bar

SPARE NOZZLE KITS

Code	Nozzle
GAV RZ3012	1.2mm
GAV RZ3014	1.4mm
GAV RZ3016	1.6mm



GAV Z1000


HVLP (High Volume Low Pressure) Professional Mini Spray gun
Gravity feed with 0.8mm Nozzle

TECHNICAL DATA

Tank Capacity	250ml
Provided with air flow adjustment	
Max. Operating Pressure	2 bar - 29 PSI
Air Consumption	150 l/min 2 bar

SPARE NOZZLE KITS

Code	Nozzle
GAV RZ1005	0.5mm
GAV RZ1008	0.8mm
GAV RZ1010	1.0mm



GAV800F

Universal filter for gravity cup spray guns.



GAV900F

Universal filter for suction lower cup spray guns



GAV MINI 150

Professional mini - airbrush.



TECHNICAL DATA

Max. Operating Pressure	1-2 bars - 15/45 PSI
Nozzle	0.3mm

GAV MINI 200

Professional mini - airbrush.



TECHNICAL DATA

Max. Operating Pressure	2 bars
Nozzle	0.3mm

GAV167A

Gun for rubberising and stone chip.



TECHNICAL DATA

Air Consumption	250 to 300 l/m
Max. operating pressure	6 to 8 bars

GAV167B

Gun for rubberising and stone chip with pipe extension.



TECHNICAL DATA

Air Consumption	250 to 300 l/m
Max. operating pressure	6 to 8 bars

GAV164A

Spray gun for rubberising and stone chip with lower cup.



TECHNICAL DATA

Tank Capacity	1000ml
Air Consumption	250 to 300 l/m
Max. operating pressure	6 to 8 bars

INFLATING KIT

Needle set for balls, rubber boats and cycles

GAV AGO

Needle set for balls, rubber boats and cycles.



GAV61AC

Blowing and washing gun with water volume adjustment



GAV61ACG

Blowing and washing gun with water volume adjustment and rapid coupling.



GAV166B

Gun suitable for sandblasting any surface.

TECHNICAL DATA

Air Consumption	250 to 300 l/m
Max. operating pressure	6 to 8 bars
Complete with 2m hose	



GAV166A

Gun suitable for sandblasting any surface.

GAV166A-1-2-3

Nozzle kit for 166A/166B sandblasting gun.

TECHNICAL DATA

Tank Capacity	1000ml
Air Consumption	250 to 300 l/m
Max. operating pressure	6 to 8 bars



SAND BLAST SAND

GAV SB1

General purpose 1kg

SANDBL-50

B125 Coarse & General purpose 50kg

SANDBL-50-1

B90 Fine & Gen.purpose 50kg

SANDBL-50-2

B60 Fine & Gen.purpose 50kg

SANDBL015

B90 Fine General Purpose 1.5kg

SANDBL-B90-2KG

B90 Fine & General Purpose 2kg

SANDBL-B60-2KG

B60 Fine & General Purpose 2kg

SANDBL-B125-2KG

B125 Coarse & General Purpose 2kg



ALUMINIUM OXIDE SAND

SANDBL-120

150 Grit 25kg

SANDBALCAB-150-500G

150 Grit 500g

SANDBALCAB-150-1KG

150 Grit 1kg



AIR GUNS - VARIOUS

For inflating, tyre - inflating, washing

GAV60A

Blow gun.

60A - Blister
60A-2 - Bulk



GAV60B

Air Blow Duster Gun with extension.

60A - Blister
60A-2 - Bulk
60B - Blister
60B-2 - Bulk



ACCESSORIES - KIT 60AP

GAV60AP UV

Venturi nozzle suitable for models 60A and 60AP.



GAV60AP S

Silencer.



GAV60AP KIT



GAV60AS

Professional Air Blowing Gun with security nozzle (blister)



GAV60AP800

800mm Nozzle Air Blow Duster Gun



GAV60AP500

500mm Nozzle Bulk for GAV60AP Air Blow Duster Gun



GAV60AP150

150mm Nozzle Bulk Air Blow Duster Gun



GAV60AP

150mm Nozzle Blister Air Blow Duster Gun



GAV NYCA S

Carbon nylon Air Duster Gun Super light weight



WASHING GUNS / TYRE INFLATING

For inflating, tyre - inflating, washing



GAV5000-1

Professional Blow Gun 150mm

GAV5000-2

Professional Blow Gun 300mm

GAV5000-5

Professional Blow Gun 80mm

GAV5000-3

Professional Blow Gun 500mm

GAV5000-4

Professional Blow Gun 800mm

**GAV61B - Blister
GAV61B-2 - Bulk**

Washing/Paraffin gun.

**GAV61A - Blister
GAV61A-2 - Bulk**

Washing/Paraffin gun with quick coupling tank.

TECHNICAL DATA

Fluid cup capacity	1000ml
Screw coupling	
Suitable for all types of liquid	

TECHNICAL DATA

Tank Capacity	1000ml
Aluminium Cover	
Wide cup opening	
Suitable for all types of liquid	

GAV60C

Tyre-inflator without gauge.
• Hose: 40cm

GAV60D

Tyre-inflating gun.
• Gauge ø63mm
• Max. operating pressure:
0-12 bars.
• Hose length: 40cm

GAV60G

Professional tyre-inflating gun.
• Large Gauge ø80mm.
• Max. Operating pressure:
0-12 bars.
• Hose length: 50cm

GAV60F

Tyre pressure tester.
• Gauge ø63mm.
• Max. Operating pressure: 0-12 bars.
• Hose length: 30cm.

GAV60FD

Digital tyre pressure gauge.
• Max. Operating pressure:
0 - 10 bars.

GAV60E

Connector for tyre valves 8mm
Universal head.

GAV60E-1

Long connector for tyre valves 8mm
(Double-sided head)

GAV60E-2

8mm truck head
with hand grip.

GAV60E-6

Connector for tyre valves 6mm
Universal head.

GAV60E-1 6

Long connector for tyre valves 6mm
(Double-sided head)

GAV KIT ITALIA

CONTENTS:

5 Pc Spray Gun Kit

- Inflating gun (GAV60A)
- Tyre-inflating gun (GAV60D)
- Washing gun (GAV61B)
- Spray gun suitable for all types of paint (GAV162B)
- 5m Spiral hose.



GAV KIT2

CONTENTS:

5 Pc Spray Gun Kit

- Inflating gun (GAV60A)
- Tyre-inflating gun (GAV60D)
- Washing gun (GAV61B)
- Spray gun suitable for all types of paint (GAV162A)
- 5m spiral hose



COMPRESSOR REGULATORS

GAV RP192



Pressure Regulator

- Max. Operating pressure: 12 bars.
- Flow: 1.700 NI/min 6 bars.
- 1/4" x 1/4" F

GAV RP182



Pressure Regulator with pressure gauge ø40mm and in-line cock.

- Max. Operating pressure: 12 bars.
- Flow: 1.700 NI/min 6 bars.
- 1/4" Thread.

GAV RPF187



Pressure Regulator with filter and pressure gauge ø40mm and two in-line cocks.

- Max. Operating pressure: 12 bars.
- Flow: 1.800 NI/min 6 bars.
- 3/8" Thread at base.

GAV RPF188



Pressure Regulator with filter and pressure gauge ø50mm and two in-line cocks.

- Max. Operating pressure: 12 bars.
- Flow: 1.800 NI/min 6 bars.
- 1/2" Thread at base.

COMPONENTS AND SPARE PARTS FOR COMPRESSORS / NON - RETURN VALVES

CODE	M	F
GAV00114	1/2"	1/2"
GAV00120	3/4"	3/4"
GAV00123	1"	1"
GAV00105	3/8"	1/2"
GAV00118	1/2"	3/4"



CODE	M	M
GAV00101	1/4"	3/8"
GAV00110	1/2"	3/8"
GAV00113	1/2"	1/2"
GAV00117	3/4"	1/2"
GAV00121	1"	3/4"
GAV00138	3/8"	3/8"



FILTER REGULATORS AND OILERS



GAV R180

Piston micro regulator.
• Adjustment hand grip with locking device
• Max. inlet pressure: 12 bars
• Adjustment field: from 0 to 10 bars
• Flow: 1.700 NI/min 6 bars
• 1/4" Thread.

GAV F180

Filter with protection cup and quick draining.
• 10 micron filtering
• Max. inlet pressure: 12 bars
• Flow: 2.100 NI/min 6 bars
• 1/4" Thread.
GAV F180-30 Spare filter for F180

GAV L180

Oil mist lubricator with protection cup.
• Max. inlet pressure: 12 bars
• Flow: 2.200 NI/min 6 bars
• 1/4" Thread.

GAV FR180

Filter - Regulator.
• Flow: 1.800 NI/min 6 bars
• 1/4" Thread.

GAV FRL180

Filter - Regulator - Lubricator.
• Flow: 1.800 NI/min 6 bars
• 1/4" Thread.

GAV R200

Piston pressure regulating valve.
• Adjustment hand grip with locking device
• Max. inlet pressure: 16 bars
• Adjustment field: from 0 to 12 bars
• Flow: 6.000 NI/min 6 bars
• 1/2" Thread.

GAV F200

Filter with protection cup and quick draining.
• 10 micron filtering
• Max. inlet pressure: 16 bars
• Flow: 6.000 NI/min 6 bars
• 1/2" Thread.

GAV L200

Oil mist lubricator with special reinforced cup.
• Max. inlet pressure: 16 bars
• Flow: 6.000 NI/min 6 bars
• 1/2" Thread.

GAV FR200

Filter - Regulator.
• Flow: 5.000 NI/min 6 bars
• 1/2" Thread.

GAV FRL200

Filter - Regulator - Lubricator.
• Flow: 5.000 NI/min 6 bars
• 1/2" Thread.

GAV R300

Piston pressure regulating valve.
• Adjustment hand grip with locking device.
• Max. inlet pressure: 16 bars
• Adjustment field: 0 - 12 bars
• Flow: 8000 NI/min 6 bars
• 1" thread (BSP)

GAV F300

Filter with protection cup and quick draining
• 10 micron filtering
• Max. inlet pressure: 16 bars.
• Flow: 9000 NI/min 6 bars
• 1" Thread (BSP)

GAV L300

Oil mist lubricator with special reinforced cup
• Max. inlet pressure: 16 bars
• Flow: 9000 NI/min 6 bars
• 1" Thread (BSP)

GAV FR300

Filter - Regulator
• Flow: 8000 NI/min 6 bars
• 1" Thread (BSP)

GAV FRL300

Filter - Regulator - Lubricator
• Flow: 8000 NI/min 6 bars
• 1" Thread (BSP)

FILTER REGULATORS AND OILERS WITH AUTO DRAIN

GAV F180 - SA

Filter in Line
• Auto drain
• 10 micron filtering
• Max. inlet pressure: 12 bars
• Flow: 2.100 NI/min 6 bars
• 1/4" Thread.
GAV F180-30 Spare filter for F180

GAV FR180 - SA

Filter - Regulator in line
• Flow: 1.800 NI/min 6 bars
• Auto drain
• 1/4" Thread

GAV FRL180 - SA

Filter - Regulator - Lubricator
• Flow: 1.800 NI/min 6 bars.
• Auto drain
• 1/4" Thread

GAV F200 - SA

Filter in Line
• Auto drain
• 10 micron filtering
• Max. inlet pressure: 16 bars
• Flow: 6.000 NI/min 6 bars
• 1/2" Thread.

GAV FR200 - SA

Filter - Regulator in line
• Flow: 5.000 NI/min 6 bars
• Auto drain
• 1/2" Thread

GAV FRL200 - SA


Filter - Regulator - Lubricator
• Flow: 5.000 NI/min 6 bars
• Auto drain
• 1/2" Thread



BLEEDING DRAIN COCK / ELECTRONIC MINI DRAINS

BLEEDING DRAIN COCK

For compressors.



CODE	(M)
GAV54A	1/4"
GAV54A2	3/8"
GAV54A3	1/2"

ELECTRONIC MINI DRAINS



CODE	
GAV MD20	0.2 - 20 L/H
GAV MD50	0.5 - 50 L/H

ELBOW F - F



CODE	(F)	(F)
GAV1249-1	1/8"	1/8"
GAV1249-2	1/4"	1/4"
GAV1249-4	1/2"	1/2"

MALE-FEMALE ELBOW



CODE	(M)	(F)
GAV1250-2	1/4"	1/4"
GAV1250-4	1/2"	1/2"

FEMALE TEE



CODE	(F)	(F)
GAV1251-2	1/4"	1/4"
GAV1251-4	1/2"	1/2"

CENTRE MALE TEE



CODE	(M)	(F)
GAV1252-2	1/4"	1/4"
GAV1252-4	1/2"	1/2"

CENTRE FEMALE TEE



CODE	(M)	(F)
GAV1253-2	1/4"	1/4"
GAV1253-4	1/2"	1/2"

FEMALE CROSS



CODE	(F)	(F)
GAV1254-2	1/4"	1/4"
GAV1254-4	1/2"	1/2"

MALE ELBOW



CODE	(M)
GAV1255-2	1/4"
GAV1255-4	1/2"

MALE TEE



CODE	(M)
GAV1256-2	1/4"
GAV1256-4	1/2"

CENTRE FEMALE TEE



CODE	(M)	(F)
GAV1257-2	1/4"	1/4"
GAV1257-4	1/2"	1/2"

OFF-SET FEMALE TEE



CODE	(M)	(F)
GAV1258-2	1/4"	1/4"
GAV1258-4	1/2"	1/2"

1 MALE 3 FEMALE CROSS



CODE	(M)	(F)
GAV1259-2	1/4"	1/4"
GAV1259-4	1/2"	1/2"

MALE - Y



CODE	(M)	(F)
GAV1260-2	1/4"	1/4"
GAV1260-4	1/2"	1/2"

FEMALE - Y



CODE	(M)	(F)
GAV1261-2	1/4"	1/4"
GAV1261-4	1/2"	1/2"

MALE CROSS



CODE	(M)
GAV1262-2	1/4"
GAV1262-4	1/2"

MALE CONICAL



CODE	(M)	
GAV RO6069-3	1/4"	6mm
GAV RO6069-5	1/4"	8mm
GAV RO6069-6	3/8"	8mm
GAV RO6069-7	1/4"	10mm
GAV RO6069-8	3/8"	10mm
GAV RO6069-9	3/8"	12mm
GAV RO6069-10	1/2"	12mm

MANIFOLD BLOCK



CODE	
GAV BL6084-7	4 ports 1/4" outlet 2 ports 3/8" inlet

TAPER REDUCER BUSH



CODE	(M)	(F)
GAV1215-1	1/8"	1/8"
GAV1215-2	1/8"	1/4"
GAV1215-3	1/8"	3/8"
GAV1215-4	1/4"	1/4"
GAV1215-5	1/4"	3/8"
GAV1215-6	1/4"	1/2"
GAV1215-7	3/8"	3/8"
GAV1215-8	3/8"	1/2"
GAV1215-9	1/2"	1/2"

TAPER REDUCER BUSH



CODE	(M)	(F)
GAV1217-1	1/4"	1/8"
GAV1217-2	3/8"	1/8"
GAV1217-3	1/2"	1/8"
GAV1217-4	3/8"	1/4"
GAV1217-5	1/2"	1/4"
GAV1217-6	1/2"	3/8"
GAV1217-7	3/4"	1/2"
GAV1217-8	1"	1/2"

TAPER NIPPLE



CODE	(M)
GAV1219-1	1/8"
GAV1219-2	1/4"
GAV1219-3	3/8"
GAV1219-4	1/2"
GAV1219-5	3/4"

TAPER REDUCER NIPPLE



CODE	(M)	(M)
GAV1220-1	1/8"	1/4"
GAV1220-2	1/8"	3/8"
GAV1220-3	1/4"	3/8"
GAV1220-4	1/4"	1/2"
GAV1220-5	3/8"	1/2"
GAV1220-6	1/2"	3/4"

TAPER PLUG



CODE	(M)
GAV1224-1	1/8"
GAV1224-2	1/4"
GAV1224-3	3/8"
GAV1224-4	1/2"
GAV1224-5	3/4"

SOCKET



CODE	(F)
GAV1225-2	1/8"
GAV1225-3	1/4"
GAV1225-4	3/8"
GAV1225-5	1/2"

REDUCING SOCKET



CODE	(F)	(F)
GAV1226-2	1/8"	1/4"
GAV1226-3	1/8"	3/8"
GAV1226-4	1/8"	1/2"
GAV1226-5	1/4"	3/8"
GAV1226-6	1/4"	1/2"
GAV1226-7	3/8"	1/2"

EXTENSION



CODE	(M)	(F)
GAV1238-1	1/8"	1/8"
GAV1238-2	1/8"	1/8"
GAV1238-4	1/4"	1/4"

HOSE ADAPTORS

Female Hose Adaptor

Code	ID Hose Size	(F)
GAV1234-1	6mm	1/4"
GAV1234-2	8mm	1/4"
GAV1234-3	10mm	1/4"



Male Hose Adaptor



Code	ID Hose Size	(M)
GAV1233-1	6mm	1/8"
GAV1233-2	6mm	1/4"
GAV1233-3	8mm	1/8"
GAV1233-4	8mm	1/4"
GAV1233-5	8mm	3/8"
GAV1233-6	10mm	3/8"
GAV1233-7	10mm	1/2"
GAV1233-8	10mm	1/4"

Code	ID Hose Size	(M)
GAV1233-9	13mm	1/2"
GAV1233-10	20mm	1/2"
GAV1233-11	12mm	1/4"
GAV1233-12	14mm	3/8"
GAV1233-13	10mm	1/8"
GAV1233-20	12.5mm	3/8"
GAV1233-4PHC	8mm	1/4"



GAV1233-4PHC
Hose Adaptor
1/4" M x 8mm
+ Hose CLA

QUICK BALL TAP

CODE	F-F
GAV1267-1	1/8"
GAV1267-2	1/4"
GAV1267-3	3/8"
GAV1267-4	1/2"



QUICK BALL TAP

CODE	F-M
GAV1268-1	1/8"
GAV1268-2	1/4"
GAV1268-3	3/8"
GAV1268-4	1/2"



LINE TAP with HAND WHEEL

CODE	(M)
GAV RBS - 2	1/4"



CODE	(F-F)
GAV1265-2	1/4"
GAV1265-3	3/8"
GAV1265-4	1/2"



CODE	F-M
GAV1266-2	1/4"
GAV1266-3	3/8"
GAV1266-4	1/2"

LINE TAP



CODE	(M)
GAV RBL 1-8	1/8"
GAV RBL 1-4	1/4"
GAV RBL 3-8	3/8"
GAV RBL 1-2	1/2"

HOSE DOUBLE UNION

For rubber hoses



CODE	HOSE
GAV1006	6mm
GAV1008	8mm
GAV1010	10mm

BAYONET COUPLING

For rubber hoses.



CODE	HOSE
GAV46F 6mm	6mm
GAV46F 8mm	8mm

NIPPLE with METAL RING

For bayonet couplings.



CODE	(M)
GAV47A 1-4	1/4"
GAV47A 1-4P	1/4"

METAL RING

For bayonet couplings.



CODE	(F)
GAV49A	1/4"
GAV 49A 3-8	3/8"

BAYONET COUPLING



CODE	
GAV57A-2	8 x 10mm

BAYONET JOINT with hose sleeve




CODE	
GAV46A	6 x 10mm

ALL-PURPOSE SAFETY AIR / QUICK COUPLERS - UNIVERSAL SERIES




1. The air flows freely.

UNIVERSAL



2. The flow of air is cut off and the pressure in the valve is vented.



3. The coupling is released from the connection.



Code	Hose
GAV AB - C2	8mm
GAV AB - C3	10mm



Code	F
GAV AB - A1	1/4"
GAV AB - A2	3/8"



Code	M
GAV AB-2	3/8"
GAV AB-3	1/2"



QUICK COUPLERS UNIVERSAL SERIES (0 - 16 BAR)

Code	M
GAV UNI1	1/4"
GAV UNI2	3/8"
GAV UNI3	1/2"



Code	F
GAV UNI A1	1/4"
GAV UNI A2	3/8"
GAV UNI A3	1/2"



Code	Hose
GAV UNI C1	6mm
GAV UNI C2	8mm
GAV UNI C3	10mm
GAV UNI C4	1/2" (12mm)



Code
GAV OR-1

O Ring
for Uni Couplers



QUICK COUPLERS 112 SERIES (0 - 16 BAR)

Code	M
GAV112-1	1/4"
GAV112-2	3/8"
GAV112-3	1/2"



Code	F
GAV22A	1/4"
GAV112A-2	3/8"



Code	Hose
GAV112 C-1	6mm
GAV112 C-2	8mm
GAV112 C-3	10mm



HARDENED STEEL QUICK COUPLERS

Code	Hose
GAV4500-1	1/4" M
GAV4500-A1	1/4" F
GAV4500-C2	8mm
GAV4500-C3	10mm



Code	Hose
GAV4600-1	1/4" M
GAV4600-A1	1/4" F



QUICK COUPLERS JAPANESE SERIES

Code	M
JAP 1	1/4"
JAP 2	3/8"
JAP 3	1/2"



Code	F
JAP A1	1/4"
JAP A2	3/8"



Code	Hose
JAP C1	6mm
JAP C2	8mm
JAP C3	10mm



Code	M
JAP 10	1/4"
JAP 20	3/8"
JAP 30	1/2"



Code	F
JAP A10	1/4"
JAP A20	3/8"



Code	Hose
JAP C10	6mm
JAP C20	8mm
JAP C30	10mm



Code
JAP O-RING



Most items are available packaged.
Just add a "P" to the end of the code when ordering.

QUICK COUPLERS - VARIOUS PIPE FITTINGS



For best results use with
GAV112/22/UNI
Quick Couplers.

QUICK COUPLERS / INSERTS - 23 - ARO TYPE

Code	M
GAV23-1	1/4"
GAV23-2	3/8"



Code	F
GAV23A-1	1/4"
GAV23A-2	3/8"



Code	Hose
GAV23C 6mm	6mm
GAV23C 8mm	8mm
GAV23C 10mm	10mm



USA TYPE

Code	M
GAV43 - 1	1/4"
GAV43 - 2	3/8"



QUICK COUPLERS / INSERTS - 113 - GERMAN TYPE

For best results use with
GAV UNI Series Quick Couplers.
Also fits GAV122/22 Series.

Code	M
GAV113-1	1/4"
GAV113-2	3/8"
GAV113-3	1/2"



Code	F
GAV113A-1	1/4"
GAV113A-2	3/8"
GAV113A-3	1/2"



Code	Hose
GAV113C-1	6mm
GAV113C-2	8mm
GAV113C-3	10mm
GAV113C-4	12mm



QUICK COUPLERS - BRASS (GERMAN) TYPE



Code	M
GAV5810-1	1/4"
GAV5810-2	3/8"
GAV5810-3	1/2"



Code	F
GAV5810-A1	1/4"
GAV5810-A2	3/8"
GAV5810-A3	1/2"



Code	Thread
GAV5810-C1	6mm
GAV5810-C2	9mm
GAV5810-C3	13mm



Code	Thread
GAV5834-1	1/4" M x 6mm
GAV5834-2	1/4" M x 9mm
GAV5834-3	3/8" M x 6mm
GAV5834-4	3/8" M x 9mm
GAV5834-5	3/8" M x 13mm
GAV5834-6	1/2" M x 13mm



Code	Thread
GAV5835-1	1/4" F x 6mm
GAV5835-2	1/4" F x 9mm
GAV5835-3	3/8" F x 6mm
GAV5835-4	3/8" F x 9mm



GAV5836-2
9mm

Code	F
GAV5800-A1	1/4"
GAV5800-A2	3/8"
GAV5800-A3	1/2"



Code	M
GAV5800-1	1/4"
GAV5800-2	3/8"
GAV5800-3	1/2"

Code	Thread
GAV5800-C1	6mm
GAV5800-C2	8mm
GAV5800-C3	13mm



GAV5820-V2
2 WAY - 3/8" F



GAV5820-V3
3 WAY - 3/8" F

QUICK COUPLERS - VARIOUS PIPE FITTINGS



Choose the Magnum Series where high airflow is required. These have the largest capacity for air.

QUICK COUPLERS - MAGNUM SERIES

Air
Flow

Code	M
GAV4000-1	3/8"
GAV4000-2	1/2"
GAV4000-3	3/4"



Code	F
GAV4000A-1	3/8"
GAV4000A-2	1/2"



Code	M
GAV4100-1	3/8"
GAV4100-2	1/2"
GAV4100-3	3/4"



Code	Hose
GAV4100C-1	9mm
GAV4100C-2	13mm



Code	F
GAV4100A-1	3/8"
GAV4100A-2	1/2"



Code	F
GAV ABM-A1	3/8"
GAV ABM-A2	1/2"



HARDENED STEEL

Code	M
GAV ABM-1	3/8"
GAV ABM-2	1/2"



SCREW-ON HOSE INSERT ARO

CODE	
GAV23B-2	6mm x 12mm
GAV23B-5	8mm x 14mm
GAV23B-7	10mm x 15mm



QUICK COUPLER SETS

Code

GAV UNI - 5AM

5 Piece Quick Coupler Set in Blister

- UNI A1 Quick Coupler - 1/4" F;
- 23 - 1 insert - M;
- 23A - 1 insert - F;
- 23C - 8mm Hose Insert;
- 1233 - 4 Hose adaptor 8mm x 1/4".



Code

GAV UNI - 5AM-10

5 Piece
Quick Coupler Set
in Box of 10 PDQ
COUNTER DISPLAY



Code

GAV UNI-6AR

6 Piece Quick Coupler Set in Blister

- UNI A1 Quick Coupler - 1/4" F;
- 23 - 1 insert - M;
- 23C - 8mm Hose Insert;
- 1233 - 4 hose adaptor - 8mm x 1/4".
- 2 x HC6-17 Hose Clamps



Code

GAV SPEC-5

5 Piece Quick Coupler Set Special



HIGH PRESSURE HOSES

HIGH PRESSURE HOSE

CODE	INSIDE ømm	OUTSIDE ømm	MAXIMUM WORKING PRESSURE kg/cm²/bar	ROLL LENGTH
GAV EVO1	6	12	20	50m
GAV EVO2	8	12	20	50m
GAV EVO3	10	14.5	20	50m
GAV EVO1-1	6	12	20	10m
GAV EVO2-1	8	12	20	10m
GAV EVO3-1	10	14.5	20	10m



POLYURETHANE HOSE EVO

- for high pressure and vacuum applications
- Lightweight and durable
- Good abrasion and tear resistance

HOSE CLAMPS

CODE	DESCR
GAV1269-2	11-13mm
GAV1269-2P	11-13mm 2 pack
GAV1269-3	13-15mm
GAV1269-3P	13-15mm 2 pack

CRIMP TYPE



COUNTER DISPLAY STANDS

AIR FITTING COUNTER DISPLAY MER009



Front view with tubs



Back view with information

CONTENTS	DESCRIPTION
GAV23C 8MM	QUICK COUPLER/INSERTS ARO 8mm
GAV23A-1	QUICK COUPLER/INSERTS ARO 1/4" F
GAV23-1	QUICK COUPLER/INSERTS ARO 1/4" M
GAV1234-2	HOSE ADAPTOR 8mm X 1/4" F
GAV1233-4	HOSE ADAPTOR 1/4" M X 8mm
GAV1008	DOUBLE UNION 8mm
GAV UNI1	UNIVERSAL QUICK COUPLER 1/4"M
GAV UNI C2	UNIVERSAL QUICK COUPLER 8mm
GAV UNI A1	UNIVERSAL QUICK COUPLER 1/4" F

AIR FITTING COUNTER DISPLAY MER077



CONTENTS	DESCRIPTION
GAV UNI A1	UNIVERSAL QUICK COUPLER 1/4" F
GAV UNI3	UNIVERSAL QUICK COUPLER 1/2"M
GAV23-1	QUICK COUPLER/INSERTS ARO 1/4" M
GAV113A-1	CONNECTOR GERMAN 1/4" F
GAV1217-5	TAPER REDUCER BUSH 1/2" x 1/4" M/F
GAV1220-4	TAPER REDUCER NIPPLE 1/4" X 1/2" M/M
GAV1233-4	HOSE ADAPTOR 1/4" M X 8mm
GAV UNI A2	UNIVERSAL QUICK COUPLER 3/8" F
GAV UNI C2	UNIVERSAL QUICK COUPLER 8mm
GAV113-1	CONNECTOR GERMAN 1/4" M
GAV23C 8MM	QUICK COUPLER/INSERTS ARO 8mm
GAV1219-2	TAPER NIPPLE 1/4" x 1/4" M/M
GAV1224-2	TAPER PLUG 1/4"
GAV1233-8	HOSE ADAPTOR 1/4" M x 10mm
GAV UNI1	UNIVERSAL QUICK COUPLER 1/4"M
GAV UNI C3	UNIVERSAL QUICK COUPLER 10mm
GAV23A-1	QUICK COUPLER/INSERTS ARO 1/4" F
GAV1008	DOUBLE UNION 8mm
GAV1220-3	TAPER REDUCER NIPPLE 1/4" x 3/8" M/M
GAV1225-3	SOCKET 1/4" x 1/4" F/F
GAV1234-2	HOSE ADAPTOR 8mm X 1/4" F



PRE-PACK DISPLAY



BULK DISPLAY



AIR BLOW GUNS



CODE	FEATURES
GIO106A	Air Blow Gun Duster Bulk



CODE	FEATURES
GIO106B	Air Blow Gun Duster Long Nozzle Bulk

PRESSURE SWITCHES

1
PHASE

PUSH IN (220V)


GIO4110-1

1/4" Thread / 1 way 1PH Push in



GIO4110-2

1/4" Thread / 4 way 1 PH Push in



3PHASE

NUT & FERRULE (380V)


GIO4111-1

1/4" Thread / 1 way 3 Phase



GIO4111-2

1/4" Thread / 4 way 3 Phase



3PHASE

4 WAY 380V w/OVERLOAD

CODE	THREAD	FEATURES
GIO4112-1	1/4"	380V. 6 - 10A
GIO4112-2	1/4"	380V. 9 - 14A
GIO4112-3	1/4"	380V. 10 - 16A



1
PHASE

NUT & FERRULE (220V)

GIO4110-3

1/4" Thread / 1 way 1 Phase



GIO4110-4

1/4" Thread / 4 way 1 Phase



3PHASE

1 WAY 380V w/OVERLOAD

CODE	THREAD	FEATURES
GIO4113-1	1/4"	1 way 380V. 2.5-4A
GIO4113-2	1/4"	1 way 380V. 4-6.3A
GIO4113-3	1/4"	1 way 380V. 6.3-10A
GIO4113-4	1/4"	1 way 380V. 9-14A
GIO4113-5	1/4"	1 way 380V. 10-16A
GIO4113-6	1/4"	1 way 380V. 13-18A
GIO4113-7	1/4"	1 way 380V. 16-20A
GIO4113-8	1/4"	1 way 380V. 17-23A



SPARE PARTS FOR PRESSURE SWITCHES

Red Push Buttons

GIO4101

1 Phase Switch

GIO4102

3 Phase Switch



Rubber Membrane

GIO4110-9

For 220V 1 Phase Switch

GIO4111-4


For 220V 3 Phase Switch



Valve, Nut & Ferrule for Switch

GIO4110-5

Replacement Nut & Ferrule



Spare Covers for Pressure Switches

GIO4110-7

Spare Cover

1 Phase

GIO4111-3

Spare Cover

3 Phase



Push In Valve for Switch

GIO4110-6

Replacement Push In Valve



Plastic Plug

GIO4110-8

Plug Plastic



PRESSURE GAUGES

PRE-PACK	CODE	DIA	ENTRY	THREAD	PRESSURE
GAV M40R-1P	GAV M40R	40mm	Rear	1/8	0 - 12 bar
GAV M40RP	GAV M40R-1	40mm	Rear	1/4	0 - 12 bar
GAV M50R-1P	GAV M50R-1	50mm	Rear	1/8	0 - 12 bar
GAV M50R-2P	GAV M50R-2	50mm	Rear	1/4	0 - 12 bar
GAV M63P	GAV M63	63mm	Lower	1/4	Digital
GAV M63DP	GAV M63D	63mm	Rear	1/4	0 - 20 bar
GAV M63RP	GAV M63R	63mm	Rear	1/4	0 - 12 bar
GAV M63SP	GAV M63S	63mm	Side	1/4	0 - 12 bar



COMPONENTS & SPARE PARTS FOR COMPRESSORS / NON - RETURN VALVES

SAFETY VALVE

CODE	THREAD	FEATURES
GIO4002-1	1/4"	Adjustable (5 - 15 Bar)
GIO4002-2	3/8"	Adjustable (6 - 13 Bar)
GIO4002-3	1/2"	Adjustable (6 - 13 Bar)
GIO4003-1	1/4"	Preset 8 bar
GIO4003-2	3/8"	Preset 10 bar
GIO4003-3	3/8"	Preset 10.5 bar
GIO4003-4	1/2"	Preset 12 bar
GIO4003-5	1/4"	Preset 12 bar



NON RETURN VALVES

CODE	M	F
COM4050-2	1/2"	1/2"
COM4050-3	3/4"	3/4"
COM4050-4	1"	1"
COM4050-5	3/8"	3/8"



Male vertical.

CODE	M	M
COM4050-2M	1/2"	1/2"
COM4050-6	1/2"	3/8"

SPRING FOR NON RETURN VALVE

CODE	THREAD	FEATURES
COM4005-4	3/4"	Spring for Non Return Valve
COM4005-5	1"	Spring for Non Return Valve
COM4005-6	1/2"	Spring for Non Return Valve



IN LINE NON RETURN VALVE



CODE	F	F
COM4005-2	3/4"	3/4"
COM4005-3	1"	1"

RUBBER SEAL FOR NON RETURN VALVES

CODE	THREAD	FEATURES
COM4051-1	1/2"	Rubber Seal for Non Return Valve
COM4051-2	3/4"	Rubber Seal for Non Return Valve
COM4051-3	1"	Rubber Seal for Non Return Valve



SPARES FOR NON RETURN VALVES

CODE	FEATURES
COM4052-1	Spare Nut for Non Return Valve
COM4052-2	Spare Ferrule for Non Return Valve



STRAIGHT CONICAL

CODE	M	F
GAV RC3010-06	1/4"	6mm
GAV RC3010-08	1/8"	8mm
GAV RC3010-10	3/8"	8mm



SUPER MICRON QUICK COUPLERS

CODE	HOSE
COM4006-0	3mm
COM4006-1	4mm
COM4006-2	5mm



SUPER MICRON ADAPTOR

CODE	HOSE
COM4007-0	3mm
COM4007-1	4mm
COM4007-2	5mm



AIR FILTER



For compressors.

PRE-PACK	CODE	THREAD
GIO AF01P	GIO AF01	3/8"
GIO AF02P	GIO AF02	1/2"
GIO AF03P	GIO AF03	3/4"

PU HOSE CONNECTOR GERMAN COUPLER

CODE	ID	OD
SG BX0608	6mm	8mm
SG BX0810	8mm	10mm



UNLOADING VALVE

CODE	THREAD
GIO 4004-1	1/2"
GIO 4004-2	3/4"

For petrol & diesel compressors



HOSES

INDUSTRIAL SPIRAL HOSE



Industrial
Spiral Hose
Polyurethane

CODE	FEATURES
SPR 0408	5mm x 8mm x 4M with quick couplings
SPR 0410	6.5mm x 10mm x 4M with quick couplings
SPR 0412	8mm x 12mm x 4M with quick couplings
SPR 0808	5mm x 8mm x 8M with quick couplings
SPR 0810	6.5mm x 10mm x 8M with quick couplings
SPR0812	8mm x 12mm x 8M with quick couplings
SPR 1208	5mm x 8mm x 12M with quick couplings
SPR 1210	6.5mm x 10mm x 12M with quick couplings
SPR 1212	8mm x 12mm x 12M with quick couplings

SPIRAL HOSE

CODE	LENGTH(M)	SIZE
SPIR 3M	3	6 x 8
SPIR 5M	5	6 x 8
SPIR 10M	10	6 x 8
SPIR 20M	20	6 x 8

Spiral Hose Standard
w/Quick Couplings



RUBBER HOSE



CODE	INSIDE ømm	OUTSIDE ømm	MAXIMUM WORKING PRESSURE BAR	ROLL LENGTH
RH06	6	12	20	100m
RH08	8	13	20	100m
RH10	10	15	20	100m
RH13	13		20	100m
RH08 REFITTEX	8	13	20	100m
RH08 BLUE	8	13	20	50m
RH06-50	6	12	20	50m
RH08-50	8	13	20	50m
RH10-50	10	15	20	50m
RH08 REFITTEX-50	8	13	20	50m
RH06KIT	6	12	20	10m w/couplers
RH08KIT	8	13	20	10m w/couplers
RH08KIT20	8	13	20	20m w/couplers
RH10KIT	10	15	20	20m w/couplers
RH10KIT20	10	15	20	20m w/couplers
RH10KIT30	10	15	20	30m w/couplers
RH08KIT30	8	13	20	30m w/couplers
RH13KIT	13		20	10m w/couplers



RH08 BLUE

NYLON TUBING

CODE	OUTSIDE ømm	ROLL LENGTH
GAV NT6	6	30m



HOSE CONNECTOR for NYLON TUBING

CODE	THREAD
GAV RR6035-6	6mm x 1/8"