

HSS TOOLS

PART NO.

DESCRIPTION

HSS ENLARGING CUTTER for steel

PG825 from $\varnothing$ 24mm to $\varnothing$ 53mm
shank $\varnothing$ 10mm - 200 RPM

PG835 from $\varnothing$ 0mm to $\varnothing$ 25mm
shank $\varnothing$ 8mm - 500 RPM

HSS COUNTERSINK for steel

PG840 $\varnothing$ 12mm
shank $\varnothing$ 8mm

PG845 $\varnothing$ 16mm
shank $\varnothing$ 8mm

ADJUSTABLE HOLE CUTTER for cutting laminates, metal

PG214 For cutting plywood, laminates & metal with 6mm $\varnothing$ HSS drill - 250 RPM for holes from 20mm to 123mm

PG215 For cutting plywood, laminates & metal with 10mm $\varnothing$ HSS drill - 250 RPM for holes from 25mm to 217mm

PG216 For cutting plywood, laminates & metal with 4mm $\varnothing$ HSS drill - 250 RPM for holes from 27mm to 104mm

HSS CUTTING TOOL

PG214.10 5mm for PG214

PG215.10 6mm for PG215

PG216.10 5mm for PG216

UNIVERSAL ACCESSORIES

PART NO.

DESCRIPTION

CONE-SHAPED STEEL RING NUT

PG218 14 MA, collar $\varnothing$ 22mm

PG221 10 MA, collar $\varnothing$ 22mm

FLAT STEEL RING NUT

PG219 14 MA, collar $\varnothing$ 22mm

PG225 10 MA, collar $\varnothing$ 22mm

STEEL UNIVERSAL WRENCH for ring nuts

PG228 35mm

PG230 20/35mm - Adjustable

ARBOR

PG335 10 x 6mm

PG336 12.8 x 8mm

PG337 22.2 x 8mm



Professional

PART NO.**DESCRIPTION****UNIVERSAL
ACCESSORIES****RUBBER BACKING PAD**

PG338 ø 125mm - shank ø 6mm - 4000 RPM

PG338.05 ø 180mm - bore ø 14/16mm - 3000 RPM

NYLON BACKING PAD

PG338.20 ø 115mm - bore ø 14mm

PG338.22 ø 178mm - bore ø 14mm

PG338.35 ø 115mm - bore ø 14mm

PG338.50 ø 125mm - bore ø 16mm

PG338.65 ø 178mm - bore ø 14mm

VELCRO BACKING PAD

PG338.80 ø 115mm - shank ø 10mm - bore M14

PG338.82 ø 125mm - shank ø 10mm - bore M14

PG338.85 ø 150mm - shank ø 10mm - bore M14

**PART NO.****DESCRIPTION****POLISHING****BUFFING BONNET WITH TIGHTENING**

PG339 ø 140mm

PG339.20 ø 190mm

LAMBSWOOL BONNET VELCRO FITTING

PG339.22 ø 115mm

PG339.23 ø 125mm

PG339.24 ø 160mm

FELT BUFFING WHEEL

PG339.25 ø 80 x 10mm - hole ø 13mm

PG339.27 ø 125 x 15mm - hole ø 16mm

PG339.28 ø 150 x 20mm - hole ø 16mm

COTTON BUFFING WHEEL

PG339.30 ø 80 - shank ø 6mm

PG339.35 ø 100 - hole ø 20/13mm

PG339.40 ø 120 - hole ø 20/16mm

PG339.45 ø 150 - hole ø 20/16mm

*Professional*

POLISHING

PART NO.

DESCRIPTION



POLISHING CUSHION

PG339.50 Ø 125mm - shank Ø 6mm

PG339.60 Ø 175mm - bore M14

POLISHING CUSHION PAD

PG339.62 Ø 125mm

PG339.64 Ø 175mm

POLISHING CUSHION PAD VELCRO FITTING

PG339.66 Ø 115mm

PG339.67 Ø 125mm

PG339.68 Ø 160mm

CUTTING & GRINDING

PART NO.

DESCRIPTION



MOUNTED GRINDING POINTS for metal, glass, ceramics, plastics

PG396 100 assorted mounted grinding points - shank Ø 6mm - in display box

PG397 45 assorted mounted grinding points - shank Ø 3/6mm - in display holder



PG398 5 assorted mounted grinding points - shank Ø 3mm

PG399 5 assorted mounted grinding points - shank Ø 6mm



GRINDING WHEEL grey corundum

PG402 Ø 75 x 10mm - hole Ø 13mm

PG404 Ø 100 x 12mm - hole Ø 13mm

PG A96.020 Ø 150 x 25mm - hole Ø 16mm grain 36

PG A96.089 Ø 150 x 25mm - hole Ø 16mm grain 80



CUTTING DISC for metal - DSA tested

PG406 Ø 125 x 2.5mm - hole Ø 13mm

CUTTING DISC for stone - DSA tested

PG408 Ø 125 x 2.5mm - hole Ø 13mm



KNIFE & SCISSOR SHARPENER

PG395 Ø 50mm - exagonal shank ¼



Professional

PART NO.

DESCRIPTION

MILLING

ADJUSTABLE COUNTERSINK complete with wood drill bit & depth stopPG374.03 $\varnothing$ 3mmPG374.04 $\varnothing$ 4mmPG374.05 $\varnothing$ 5mmPG374.06 $\varnothing$ 6mm**COUNTERSINK**PG375 $\varnothing$ 6mm - shank 6mmPG376 $\varnothing$ 12mm - shank 6mmPG377 $\varnothing$ 16mm - shank 6mmPG379 $\varnothing$ 13mm - shank 5mm**HINGE BORING BIT - shank $\varnothing$ 8mm**PG380 $\varnothing$ 26mmPG382 $\varnothing$ 35mm**HINGE BORING BIT CARBIDE TIPPED - shank $\varnothing$ 8mm**PG384 $\varnothing$ 26mmPG384.20 $\varnothing$ 35mm

PART NO.

DESCRIPTION

RASPING

ROTARY FILE for metal - shank $\varnothing$ 6mm

PG420 Cylindrical rotary file

PG422 Conical rotary file

PG424 Cylindrical rounded rotary file

PG426 Spherical rotary file

PG445 Metal HSS drill saw $\varnothing$ 6 x 85mm**ROTARY RASP for wood - shank $\varnothing$ 6mm**

PG430 Cylindrical rotary rasp

PG432 Conical rotary rasp

PG434 Spherical rotary rasp

PG436 Dome rotary rasp

PG438 Rotary countersink

PG440 Wood drill saw $\varnothing$ 8 x 85mm

Professional

RASPING



ASSORTED FILES & RASPS - shank Ø 6mm

PG446	3 assorted rotary rasps
-------	-------------------------

PG447	6 assorted rotary files and rasps
-------	-----------------------------------

WOOD RASP - shank Ø 6mm

PG448	Ø 10/15mm
-------	-----------

PG448.10	Ø 15/20mm
----------	-----------

PG448.20	Ø 20/25mm
----------	-----------

FILE & RASP for metal and wood

PG449.08	Length 8" - 200mm
----------	-------------------

ASSORTED FILES - 4" length - 100mm

PG449.20	6 files equalling - flat - halfround - round - three square - square shape
----------	--

ROUND CHAIN SAW FILES - 8" length - 200mm

PG449.40	2 files Ø 5/32" - 4mm
----------	-----------------------

PG449.50	2 files Ø 3/16" - 4.8mm
----------	-------------------------

PG449.60	2 files Ø 7/32" - 5.6mm
----------	-------------------------

BITS

PART NO.

DESCRIPTION

90° ANGLE SCREWDRIVER

PG452.30	with hexagonal receptacle 1/4
----------	-------------------------------

MIXING

PART NO.

DESCRIPTION

MIXER for colors, paints, glue and other liquids

PG510	Ø 60 x 350mm - shank Ø 6mm
-------	----------------------------

PG511	Ø 60 x 400mm - shank hex. 8
-------	-----------------------------

PG512	Ø 80 x 400mm - shank hex. 8
-------	-----------------------------

PG513	Ø 100 x 600mm - shank hex. 10
-------	-------------------------------

LID OPENER - PAINT MIXER

PG515	270mm
-------	-------



Professional

PART NO.**DESCRIPTION****BRUSHING****PROFESSIONAL HIGH SPEED CONICAL WIRE BRUSH****PG465.60**

Ø 100mm - bore M14 - 13000 RPM

PROFESSIONAL HIGH SPEED WIRE WHEEL BRUSH**PG465.75**

Ø 115mm - bore M14 - twisted wire 15000 RPM

WIRE WHEEL CONICAL BRUSH**PG466**

Ø 90mm - shank Ø 6mm

WIRE WHEEL CONICAL BRUSH - bore M14**PG467**

Ø 90mm

PG468

Ø 120mm

PG468.30

Ø 100mm - twisted wire

PG468.35

Ø 120mm - twisted wire

WIRE WHEEL BRUSH - shank Ø 6mm**PG468.50**

Ø 40mm

PG469

Ø 50mm

PG470

Ø 75mm

PG470.50

Ø 75mm - double thickness

PG475

Ø 100mm

PG475.50

Ø 100mm - double thickness

PG475.65

Ø 75mm - twisted wire

WIRE WHEEL BRUSH**PG485.80**

Ø 75mm - hole Ø 13mm

PG486

Ø 100mm - hole Ø 13mm

PG487

Ø 120mm - hole Ø 16mm

PG488

Ø 150mm - hole Ø 16mm

PG489

Ø 200mm - hole Ø 20mm - thickness 20mm

*Professional*

BRUSHING

PART NO.

DESCRIPTION

MINI WIRE BRUSHES - shank Ø 2.35mm

PG476	3 assorted mini wire brushes - Ø 5 - 12 - 21mm
-------	--

END WIRE BRUSH - shank Ø 6mm

PG477	Ø 16mm
-------	--------

PG478	Ø 25mm
-------	--------

MUSHROOM SHAPE END WIRE BRUSH - shank Ø 6mm

PG478.20	Ø 30mm
----------	--------

PG478.40	Ø 40mm
----------	--------

SPIRAL WIRE BRUSH - shank Ø 6mm

PG479	Ø 28mm
-------	--------

WIRE CUP BRUSH - shank Ø 6mm

PG480	Ø 50mm
-------	--------

PG485	Ø 70mm
-------	--------

PG485.20	Ø 85mm
----------	--------

WIRE CUP BRUSH - bore M14

PG485.30	Ø 60mm
----------	--------

PG485.31	20 brushes art. 485.30 bulk
----------	-----------------------------

PG485.40	Ø 85mm
----------	--------

PG485.41	20 brushes art. 485.40 bulk
----------	-----------------------------

PG485.50	Ø 100mm
----------	---------

PG485.51	10 brushes art. 485.50 bulk
----------	-----------------------------

PG485.60	Ø 120mm
----------	---------

PG485.65	Ø 150mm
----------	---------

PG485.70	Ø 65mm - twisted wire
----------	-----------------------

PG485.75	Ø 85mm - twisted wire
----------	-----------------------

PG485.76	Ø 100mm - twisted wire
----------	------------------------

PG485.77	Ø 120mm - twisted wire
----------	------------------------



Professional

PART NO.

DESCRIPTION

BRUSHING

BRASS WIRE WHEEL BRUSH - shank Ø 6mm

PG490

Ø 75mm

BRASS WIRE CUP BRUSH - shank Ø 6mm

PG495

Ø 50mm

WIRE BRUSH ASSORTMENT in display box

PG496

40 wire brushes
 10 art. 469.00 - 10 art. 470.00
 10 art. 480.00 - 10 art. 485.00

UNIVERSAL HAND BRUSH

PG497

in display box

NYLON WHEEL BRUSH - shank Ø 6mm

PG497.05

Ø 75mm - orange grain 80

PG497.10

Ø 75mm - blue grain 150

PG497.15

Ø 100mm - orange grain 80

PG497.20

Ø 100mm - blue grain 150

NYLON CUP BRUSH - shank Ø 6mm

PG497.25

Ø 50mm - orange grain 80

PG497.30

Ø 50mm - blue grain 150

PG497.35

Ø 70mm - orange grain 80

PG497.40

Ø 70mm - blue grain 150

END NYLON BRUSH - shank Ø 6mm

PG497.45

Ø 25mm - orange grain 80

PG497.50

Ø 25mm - blue grain 150


NYLON FLAP BRUSH - shank Ø 6mm

PG497.55

Ø 100mm - orange grain 80

PG497.60

Ø 100mm - blue grain 150



KNIVES

PART NO.

DESCRIPTION



PG566.20

9mm blade - metal body



PG566.30

9mm blade - metal guide blade



PG566.40

18mm blade - abs body



PG566.50

18mm blade - metal guide blade



SCRAPER

PG567

Scraper with retractable blade



REPLACEMENT BLADES

PG568

5 medium heavy-duty blades

PG568.30

10 snap-off 9mm blades

PG568.40

10 snap-off 18mm blades

WOOD TOOLS

PART NO.

DESCRIPTION



WOOD GIMLET

PG590

Ø 2mm

PG591

Ø 3mm

PG592

Ø 4mm

PG593

Ø 5mm

PG594

Ø 6mm

PG595

Ø 8mm

TACK LIFTER

PG598

190mm

WOOD JOINTING

PART NO.

DESCRIPTION



DOWELMATE DOWELING KIT

PG650

Includes 1 dowelling jig - 3 spacers
assorted wooden dowels Ø 6 - 8 - 10mm



Professional

WOODEN DOWELS

PG655	100 wooden dowels ø 6 x 30mm
PG655.05	1000 wooden dowels ø 6 x 30mm
PG660	60 wooden dowels ø 8 x 35mm
PG660.05	1000 wooden dowels ø 8 x 35mm
PG665	40 wooden dowels ø 10 x 40mm
PG665.05	1000 wooden dowels ø 10 x 40mm
PG666	30 wooden dowels ø 12 x 40mm
PG666.05	500 wooden dowels ø 12 x 40mm

EXTRA-LONG WOODEN DOWELS

PG668	100 wooden dowels ø 6 x 1000mm
PG668.10	100 wooden dowels ø 8 x 1000mm
PG668.20	100 wooden dowels ø 10 x 1000mm
PG668.30	50 wooden dowels ø 12 x 1000mm

DEPTH STOPS

PG620	3 depth stops ø 6 - 8 - 10mm
-------	------------------------------

CENTRE POINTS

PG670	100 wooden dowels ø 6 x 1000mm
PG675	100 wooden dowels ø 8 x 1000mm
PG680	100 wooden dowels ø 10 x 1000mm
PG680.10	50 wooden dowels ø 12 x 1000mm

DOWELLING KITS

PG681	Complete with drill ø 6mm - depth stop - 4 centre points - 25 wooden dowels ø 6mm
PG682	Complete with drill ø 8mm - depth stop - 4 centre points - 25 wooden dowels ø 8mm
PG683	Complete with drill ø 10mm - depth stop - 4 centre points - 20 wooden dowels ø 10mm

DOWEL DRILLS

PG630.06	ø 6mm
PG630.08	ø 8mm
PG630.10	ø 10mm
PG630.12	ø 12mm



CHUCKS

PART NO.

DESCRIPTION

CHUCK WITH KEY - also suitable for hammer drills Male threaded

PG780 3/8 x 24 - Ø 10mm for Black & Decker

PG781 3/8 x 24 - Ø 13mm for Black & Decker

CHUCK WITH KEY - also suitable for hammer drills Female threaded

PG783 3/8 x 24 - Ø 10mm for Skil, Metabo, Makita, Wolf (38mm)

PG784 3/8 x 24 - Ø 13mm for Skil, Metabo, Makita, Wolf (38mm)

PG786 1/2 x 20 - Ø 10mm for Atlas Copco, Bosch, Fein, Kress, Metabo (43mm)

PG787 1/2 x 20 - Ø 13mm for Atlas Copco, Bosch, Fein, Kress, Metabo (43mm)

CHUCK WITH KEY - also suitable for hammer drills Exagonal shank

PG788 Ø 10mm

CHUCK ADAPTOR

PG789 SDS-plus fitting 1/2 x 20

DRILL CHUCK KEY

PG790 10mm - for Black & Decker

PG791 13mm - for Black & Decker

PG792 13mm - universal

PG793 16mm - universal

FLEXIBLE SHAFT

PG550 90cm length - chuck Ø 6mm - 4000 RPM

PG555 130cm length - chuck Ø 8mm professional model - 4000 RPM

PG560 130cm length - chuck Ø 8mm professional model with ball bearings - 8000 RPM

TOOLS & ACCESSORIES

PART NO.

DESCRIPTION

PUMP ATTACHMENT for most liquids

PG890 shank Ø 8mm - for pipes 1/2" - 25 litres x minute 3400 RPM



Professional

PART NO.**DESCRIPTION****HOLESAWS****HOLESAWS for wood, plasterboards, plastic**

PG730	with 7 blades from ø 25mm to ø 62mm height 25mm
PG732	with 7 blades from ø 25mm to ø 62mm height 50mm
PG735	with 5 blades from ø 60mm to ø 95mm height 40mm

**CIRCULAR TILE CUTTER with pilot drill and carbide tipped cutter**

PG217	from ø 30mm to ø 80mm - 450 RPM
-------	---------------------------------

**PART NO.****DESCRIPTION****DRILLING****TILE AND GLASS DRILL**

PG728	ø 3mm
PG728.10	ø 4mm
PG728.20	ø 5mm
PG728.30	ø 6mm
PG728.40	ø 8mm
PG728.50	ø 10mm
PG728.60	ø 12mm

**HSS - DIN 992 HIGH SPEED STEEL TWIST DRILL****Hexagonal shank 1/4**

PG465.02	ø 2mm
PG465.03	ø 3mm
PG465.04	ø 4mm
PG465.05	ø 5mm

**DUST CATCHER**

PG565	for drills from ø 4mm to ø 10mm
-------	---------------------------------

*Professional*

CLAMPING

PART NO.

DESCRIPTION



VICE

PG950

max opening 70mm



CLAMP

PG952

max opening 50mm



UNIVERSAL VICE IN ALUMINIUM

With quick adjustor and steel jaws to clamp round material

PG954

max opening 70mm



MOBILE CLAMP

PG955

mobile clamp for 90° corner joints
saw guide for 45° and work bench vice



QUICK ADJUSTING BAND CLAMP

For glueing picture frames, furniture, shelves

PG957

4m length

DRILL STAND

PART NO.

DESCRIPTION



ROTARY DRILL CLAMP

PG960

with collar 43mm



Professional